


Standard Machine-Ready Blanks

Materials Catalog





TCI Precision Metals

Making Precision Machine-Ready Blanks Since 1956

Founded in 1956, TCI Precision Metals is a value-added metals distributor producing close tolerance Machine-Ready Blanks from aluminum, stainless steel, and other alloys. Precision sawing, waterjet cutting, grinding, duplex milling, flattening, and finishing operations make TCI a one stop materials source for precision Machine-Ready Blanks.

TCI Precision Metals is ISO 9001 and AS9100 certified and committed to continuous improvement with documented quality management and manufacturing processes that ensure repeatable accuracy from part to part.

Delivering close tolerance precision blanks on time has guided TCI Precision Metals since its inception and continues today. Optimized equipment and focused resources allow TCI to efficiently produce consistently high-quality precision blanks. This value is passed to manufacturers and job shops looking to produce more finished parts, faster.



ISO 9001
Quality



AS9100
Aerospace



Table of Contents

How to Use This Catalog 1
What Are Standard Machine-Ready Blanks 2
What Are Custom Machine-Ready Blanks 3

Standard Aluminum Blanks

6061 Aluminum 2-Side Precision Blanks 4
6061 Aluminum 6-Side Precision Blanks 12
6061 Aluminum 2-Side Precision Blanks (Metric Thickness) 20
6061 Aluminum 6-Side Precision Blanks (Metric Thickness) 22
6061 Aluminum Round Precision Blanks 25
2024 Aluminum 2-Side Precision Blanks 27
2024 Aluminum 6-Side Precision Blanks 30
5052 Aluminum Strip Blanks 33
3003 Aluminum Strip Blanks 37

Standard Stainless Steel Blanks

304 Stainless Steel 2-Side Precision Blanks 39
304 Stainless Steel 6-Side Precision Blanks 43
316 Stainless Steel 2-Side Precision Blanks 49
316 Stainless Steel 6-Side Precision Blanks 54

Standard Carbon Steel Blanks

4140 Carbon Steel 6-Side Precision Blanks 60

How to Use this Catalog

1. Select your material category– Aluminum, Stainless Steel, Carbon Steel
2. Select your alloy type
3. From within the desired alloy section, select your blank type– 2-Sided Precision, 6-Sided Precision, Round or Strip
4. Go to the page number for your selection and choose your material by thickness, then width, then length. Note the corresponding part number.

Thickness	Width	Length	Temper	Type	Part #
0.125	6	6	T3	Sheet	GB-2024-0125-06-06
0.125	8	8	T3	Sheet	GB-2024-0125-08-08
0.125	2	12	T3	Sheet	GB-2024-0125-02-12

To order, call 800-234-5613, Email sales@tciprecision.com, or visit <http://tciprecision.com/standard-blanks>.

What Are Standard Machine-Ready Blanks?



Standard Machine-Ready Blanks are pre-configured material in hundreds of dimension and alloy combinations. Each precision blank arrives square, flat, and parallel making them machine-ready, eliminating the need for squaring up the material prior to finish machining.

There are Four Types of Standard Machine-Ready Blanks to Choose from:

- 1. 2-Side Precision Blanks**— Each blank is precision ground or milled 2-sides for thickness and flatness to $\pm .002''$. Width and length for aluminum are saw cut to $+.063-0''$. Width and length for stainless steel are saw cut or waterjet cut to $+.125-0''$.
- 2. 6-Side Precision Blanks**— Each blank is precision ground or milled 2-sides for thickness and flatness, and milled 4-sides for width and length. All dimensions $\pm .002''$.
- 3. Round Precision Blanks**— Each blank is precision ground to $\pm .002''$ on thickness; diameter based on stock.
- 4. Aluminum Strip Blanks**— Thickness based on stock; saw cut to $+.063-0''$ on width and length.


Save Time

Standard Machine-Ready Blanks eliminate the need for specialized machines or tying up machines that are better served performing other operations. Bottlenecks created by time consuming setup and squaring operations are avoided, saving even more time. This increases shop capacity without adding overhead.

Machine-Ready Blanks arrive ready to go directly from your receiving dock onto your CNC machines. By ending prep time and minimizing setup time, your operators and machines get to the high-value work of finish machining, faster.

Consistent tolerances from blank-to-blank reduce operator and machine time spent adjusting setups and work holding fixtures, which saves valuable spindle time.

Machine-Ready Blanks are Flat and Made to Stay that Way



Improve Quality

Machine-Ready Blanks are made flat and designed to stay that way. Flatness is especially important as it eliminates the tendency for part movement during the machining process, especially with large surface area parts.

Demand for flat material that resists movement during machining is high for two reasons, one, part movement can turn parts into scrap, and two, creating flat material, on your shop floor, that resists movement is harder than many people might think. The top and bottom surfaces of machine-ready blanks are processed simultaneously, which maintains flatness and reduces hidden stress introduced into the material when it was milled.

All Standard Machine-Ready Blanks arrive deburred, cleaned, and packaged to eliminate the possibility of damage in handling and shipping.

What are Custom Machine-Ready Blanks?

When Even Tighter Tolerances are Required

Custom Machine-Ready Blanks are available through special order. They provide all the benefits of standard blanks but are precision ground and/or milled to your net specifications and can be furnished as close as +/- .0005" dimensionally and as close as .0002" in flatness, squareness and parallelism.



6061 Aluminum Plate and Sheet

One of the Most Flexible Aluminum Alloys

6061 Aluminum is an aluminum-silicon-magnesium alloy which is strengthened through precipitation hardening, this makes for excellent machinability, bending and weldability. This alloy is corrosion resistant and has excellent joining characteristics, good acceptance to anodizing and is easily cold worked and formed in the annealed condition.



2-Side Precision Blanks

- Precision ground or milled 2-sides on thickness to to +/- .002"
- Width and length saw cut, +/- .063-0"
- Parts are flat, square (surface to edge) and parallel, ready for machining

Thickness	Width	Length	Temper	Type	Part #
0.125	0.5	12	T6	Sheet	GB-6061-0125-00-12
0.125	1	12	T6	Sheet	GB-6061-0125-01-12
0.125	2	3	T6	Sheet	GB-6061-0125-02-03
0.125	2	4	T6	Sheet	GB-6061-0125-02-04
0.125	2	6	T6	Sheet	GB-6061-0125-02-06
0.125	2	12	T6	Sheet	GB-6061-0125-02-12
0.125	3	3	T6	Sheet	GB-6061-0125-03-03
0.125	3	6	T6	Sheet	GB-6061-0125-03-06
0.125	4	4	T6	Sheet	GB-6061-0125-04-04
0.125	4	6	T6	Sheet	GB-6061-0125-04-06
0.125	4	8	T6	Sheet	GB-6061-0125-04-08
0.125	4	12	T6	Sheet	GB-6061-0125-04-12
0.125	6	6	T6	Sheet	GB-6061-0125-06-06
0.125	6	12	T6	Sheet	GB-6061-0125-06-12
0.125	8	8	T6	Sheet	GB-6061-0125-08-08
0.125	8	12	T6	Sheet	GB-6061-0125-08-12
0.125	12	12	T6	Sheet	GB-6061-0125-12-12
0.125	12	18	T6	Sheet	GB-6061-0125-12-18
0.125	12	24	T6	Sheet	GB-6061-0125-12-24
0.125	24	24	T6	Sheet	GB-6061-0125-24-24
0.190	0.5	12	T651	Plate	GB-6061-0190-00-12
0.190	1	12	T651	Plate	GB-6061-0190-01-12
0.190	2	3	T651	Plate	GB-6061-0190-02-03

All measurements are in inches unless otherwise specified

6061 Aluminum Plate and Sheet

2-Side Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
0.190	2	4	T651	Plate	GB-6061-0190-02-04
0.190	2	6	T651	Plate	GB-6061-0190-02-06
0.190	2	12	T651	Plate	GB-6061-0190-02-12
0.190	3	3	T651	Plate	GB-6061-0190-03-03
0.190	3	6	T651	Plate	GB-6061-0190-03-06
0.190	4	4	T651	Plate	GB-6061-0190-04-04
0.190	4	6	T651	Plate	GB-6061-0190-04-06
0.190	4	8	T651	Plate	GB-6061-0190-04-08
0.190	4	12	T651	Plate	GB-6061-0190-04-12
0.190	6	6	T651	Plate	GB-6061-0190-06-06
0.190	6	12	T651	Plate	GB-6061-0190-06-12
0.190	8	8	T651	Plate	GB-6061-0190-08-08
0.190	8	12	T651	Plate	GB-6061-0190-08-12
0.190	12	12	T651	Plate	GB-6061-0190-12-12
0.190	12	18	T651	Plate	GB-6061-0190-12-18
0.190	12	24	T651	Plate	GB-6061-0190-12-24
0.190	24	24	T651	Plate	GB-6061-0190-24-24
0.250	0.5	12	T651	Plate	GB-6061-0250-00-12
0.250	1	12	T651	Plate	GB-6061-0250-01-12
0.250	2	3	T651	Plate	GB-6061-0250-02-03
0.250	2	4	T651	Plate	GB-6061-0250-02-04
0.250	2	6	T651	Plate	GB-6061-0250-02-06
0.250	2	12	T651	Plate	GB-6061-0250-02-12
0.250	3	3	T651	Plate	GB-6061-0250-03-03
0.250	3	6	T651	Plate	GB-6061-0250-03-06
0.250	4	4	T651	Plate	GB-6061-0250-04-04
0.250	4	6	T651	Plate	GB-6061-0250-04-06
0.250	4	8	T651	Plate	GB-6061-0250-04-08
0.250	4	12	T651	Plate	GB-6061-0250-04-12
0.250	6	6	T651	Plate	GB-6061-0250-06-06
0.250	6	12	T651	Plate	GB-6061-0250-06-12
0.250	8	8	T651	Plate	GB-6061-0250-08-08

6061 Aluminum Plate and Sheet

2-Side Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
0.250	8	12	T651	Plate	GB-6061-0250-08-12
0.250	12	12	T651	Plate	GB-6061-0250-12-12
0.250	12	18	T651	Plate	GB-6061-0250-12-18
0.250	12	24	T651	Plate	GB-6061-0250-12-24
0.250	24	24	T651	Plate	GB-6061-0250-24-24
0.375	0.5	12	T651	Plate	GB-6061-0375-00-12
0.375	1	12	T651	Plate	GB-6061-0375-01-12
0.375	2	3	T651	Plate	GB-6061-0375-02-03
0.375	2	4	T651	Plate	GB-6061-0375-02-04
0.375	2	6	T651	Plate	GB-6061-0375-02-06
0.375	2	12	T651	Plate	GB-6061-0375-02-12
0.375	3	3	T651	Plate	GB-6061-0375-03-03
0.375	3	6	T651	Plate	GB-6061-0375-03-06
0.375	4	4	T651	Plate	GB-6061-0375-04-04
0.375	4	6	T651	Plate	GB-6061-0375-04-06
0.375	4	8	T651	Plate	GB-6061-0375-04-08
0.375	4	12	T651	Plate	GB-6061-0375-04-12
0.375	6	6	T651	Plate	GB-6061-0375-06-06
0.375	6	12	T651	Plate	GB-6061-0375-06-12
0.375	8	8	T651	Plate	GB-6061-0375-08-08
0.375	8	12	T651	Plate	GB-6061-0375-08-12
0.375	12	12	T651	Plate	GB-6061-0375-12-12
0.375	12	18	T651	Plate	GB-6061-0375-12-18
0.375	12	24	T651	Plate	GB-6061-0375-12-24
0.375	24	24	T651	Plate	GB-6061-0375-24-24
0.500	0.5	12	T651	Plate	GB-6061-0500-00-12
0.500	1	12	T651	Plate	GB-6061-0500-01-12
0.500	2	3	T651	Plate	GB-6061-0500-02-03
0.500	2	4	T651	Plate	GB-6061-0500-02-04
0.500	2	6	T651	Plate	GB-6061-0500-02-06
0.500	2	12	T651	Plate	GB-6061-0500-02-12
0.500	3	3	T651	Plate	GB-6061-0500-03-03

6061 Aluminum Plate and Sheet

2-Side Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
0.500	3	6	T651	Plate	GB-6061-0500-03-06
0.500	4	4	T651	Plate	GB-6061-0500-04-04
0.500	4	6	T651	Plate	GB-6061-0500-04-06
0.500	4	8	T651	Plate	GB-6061-0500-04-08
0.500	4	12	T651	Plate	GB-6061-0500-04-12
0.500	6	6	T651	Plate	GB-6061-0500-06-06
0.500	6	12	T651	Plate	GB-6061-0500-06-12
0.500	8	8	T651	Plate	GB-6061-0500-08-08
0.500	8	12	T651	Plate	GB-6061-0500-08-12
0.500	12	12	T651	Plate	GB-6061-0500-12-12
0.500	12	18	T651	Plate	GB-6061-0500-12-18
0.500	12	24	T651	Plate	GB-6061-0500-12-24
0.500	24	24	T651	Plate	GB-6061-0500-24-24
0.625	0.5	12	T651	Plate	GB-6061-0625-00-12
0.625	1	12	T651	Plate	GB-6061-0625-01-12
0.625	2	3	T651	Plate	GB-6061-0625-02-03
0.625	2	4	T651	Plate	GB-6061-0625-02-04
0.625	2	6	T651	Plate	GB-6061-0625-02-06
0.625	2	12	T651	Plate	GB-6061-0625-02-12
0.625	3	3	T651	Plate	GB-6061-0625-03-03
0.625	3	6	T651	Plate	GB-6061-0625-03-06
0.625	4	4	T651	Plate	GB-6061-0625-04-04
0.625	4	6	T651	Plate	GB-6061-0625-04-06
0.625	4	8	T651	Plate	GB-6061-0625-04-08
0.625	4	12	T651	Plate	GB-6061-0625-04-12
0.625	6	6	T651	Plate	GB-6061-0625-06-06
0.625	6	12	T651	Plate	GB-6061-0625-06-12
0.625	8	8	T651	Plate	GB-6061-0625-08-08
0.625	8	12	T651	Plate	GB-6061-0625-08-12
0.625	12	12	T651	Plate	GB-6061-0625-12-12
0.625	12	18	T651	Plate	GB-6061-0625-12-18
0.625	12	24	T651	Plate	GB-6061-0625-12-24

6061 Aluminum Plate and Sheet

2-Side Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
0.625	24	24	T651	Plate	GB-6061-0625-24-24
0.750	0.5	12	T651	Plate	GB-6061-0750-00-12
0.750	1	12	T651	Plate	GB-6061-0750-01-12
0.750	2	3	T651	Plate	GB-6061-0750-02-03
0.750	2	4	T651	Plate	GB-6061-0750-02-04
0.750	2	6	T651	Plate	GB-6061-0750-02-06
0.750	2	12	T651	Plate	GB-6061-0750-02-12
0.750	3	3	T651	Plate	GB-6061-0750-03-03
0.750	3	6	T651	Plate	GB-6061-0750-03-06
0.750	4	4	T651	Plate	GB-6061-0750-04-04
0.750	4	6	T651	Plate	GB-6061-0750-04-06
0.750	4	8	T651	Plate	GB-6061-0750-04-08
0.750	4	12	T651	Plate	GB-6061-0750-04-12
0.750	6	6	T651	Plate	GB-6061-0750-06-06
0.750	6	12	T651	Plate	GB-6061-0750-06-12
0.750	8	8	T651	Plate	GB-6061-0750-08-08
0.750	8	12	T651	Plate	GB-6061-0750-08-12
0.750	12	12	T651	Plate	GB-6061-0750-12-12
0.750	12	18	T651	Plate	GB-6061-0750-12-18
0.750	12	24	T651	Plate	GB-6061-0750-12-24
0.750	24	24	T651	Plate	GB-6061-0750-24-24
0.875	0.5	12	T651	Plate	GB-6061-0875-00-12
0.875	1	12	T651	Plate	GB-6061-0875-01-12
0.875	2	3	T651	Plate	GB-6061-0875-02-03
0.875	2	4	T651	Plate	GB-6061-0875-02-04
0.875	2	6	T651	Plate	GB-6061-0875-02-06
0.875	2	12	T651	Plate	GB-6061-0875-02-12
0.875	3	3	T651	Plate	GB-6061-0875-03-03
0.875	3	6	T651	Plate	GB-6061-0875-03-06
0.875	4	4	T651	Plate	GB-6061-0875-04-04
0.875	4	6	T651	Plate	GB-6061-0875-04-06
0.875	4	8	T651	Plate	GB-6061-0875-04-08

6061 Aluminum Plate and Sheet

2-Side Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
0.875	4	12	T651	Plate	GB-6061-0875-04-12
0.875	6	6	T651	Plate	GB-6061-0875-06-06
0.875	6	12	T651	Plate	GB-6061-0875-06-12
0.875	8	8	T651	Plate	GB-6061-0875-08-08
0.875	8	12	T651	Plate	GB-6061-0875-08-12
0.875	12	12	T651	Plate	GB-6061-0875-12-12
0.875	12	18	T651	Plate	GB-6061-0875-12-18
0.875	12	24	T651	Plate	GB-6061-0875-12-24
0.875	24	24	T651	Plate	GB-6061-0875-24-24
1.000	0.5	12	T651	Plate	GB-6061-1000-00-12
1.000	1	1	T651	Plate	GB-6061-1000-01-01
1.000	1	12	T651	Plate	GB-6061-1000-01-12
1.000	2	3	T651	Plate	GB-6061-1000-02-03
1.000	2	4	T651	Plate	GB-6061-1000-02-04
1.000	2	6	T651	Plate	GB-6061-1000-02-06
1.000	2	12	T651	Plate	GB-6061-1000-02-12
1.000	3	3	T651	Plate	GB-6061-1000-03-03
1.000	3	6	T651	Plate	GB-6061-1000-03-06
1.000	4	4	T651	Plate	GB-6061-1000-04-04
1.000	4	6	T651	Plate	GB-6061-1000-04-06
1.000	4	8	T651	Plate	GB-6061-1000-04-08
1.000	4	12	T651	Plate	GB-6061-1000-04-12
1.000	6	6	T651	Plate	GB-6061-1000-06-06
1.000	6	12	T651	Plate	GB-6061-1000-06-12
1.000	8	8	T651	Plate	GB-6061-1000-08-08
1.000	8	12	T651	Plate	GB-6061-1000-08-12
1.000	12	12	T651	Plate	GB-6061-1000-12-12
1.000	12	18	T651	Plate	GB-6061-1000-12-18
1.000	12	24	T651	Plate	GB-6061-1000-12-24
1.000	24	24	T651	Plate	GB-6061-1000-24-24
1.250	0.5	12	T651	Plate	GB-6061-1250-00-12
1.250	1	12	T651	Plate	GB-6061-1250-01-12

6061 Aluminum Plate and Sheet

2-Side Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
1.250	2	3	T651	Plate	GB-6061-1250-02-03
1.250	2	4	T651	Plate	GB-6061-1250-02-04
1.250	2	6	T651	Plate	GB-6061-1250-02-06
1.250	2	12	T651	Plate	GB-6061-1250-02-12
1.250	3	3	T651	Plate	GB-6061-1250-03-03
1.250	3	6	T651	Plate	GB-6061-1250-03-06
1.250	4	4	T651	Plate	GB-6061-1250-04-04
1.250	4	6	T651	Plate	GB-6061-1250-04-06
1.250	4	8	T651	Plate	GB-6061-1250-04-08
1.250	4	12	T651	Plate	GB-6061-1250-04-12
1.250	6	6	T651	Plate	GB-6061-1250-06-06
1.250	6	12	T651	Plate	GB-6061-1250-06-12
1.250	8	8	T651	Plate	GB-6061-1250-08-08
1.250	8	12	T651	Plate	GB-6061-1250-08-12
1.250	12	12	T651	Plate	GB-6061-1250-12-12
1.250	12	18	T651	Plate	GB-6061-1250-12-18
1.250	12	24	T651	Plate	GB-6061-1250-12-24
1.500	0.5	12	T651	Plate	GB-6061-1500-00-12
1.500	1	12	T651	Plate	GB-6061-1500-01-12
1.500	2	3	T651	Plate	GB-6061-1500-02-03
1.500	2	4	T651	Plate	GB-6061-1500-02-04
1.500	2	6	T651	Plate	GB-6061-1500-02-06
1.500	2	12	T651	Plate	GB-6061-1500-02-12
1.500	3	3	T651	Plate	GB-6061-1500-03-03
1.500	3	6	T651	Plate	GB-6061-1500-03-06
1.500	4	4	T651	Plate	GB-6061-1500-04-04
1.500	4	6	T651	Plate	GB-6061-1500-04-06
1.500	4	8	T651	Plate	GB-6061-1500-04-08
1.500	4	12	T651	Plate	GB-6061-1500-04-12
1.500	6	6	T651	Plate	GB-6061-1500-06-06
1.500	6	12	T651	Plate	GB-6061-1500-06-12
1.500	8	8	T651	Plate	GB-6061-1500-08-08

6061 Aluminum Plate and Sheet

2-Side Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
1.500	8	12	T651	Plate	GB-6061-1500-08-12
1.500	12	12	T651	Plate	GB-6061-1500-12-12
1.500	12	18	T651	Plate	GB-6061-1500-12-18
1.500	12	24	T651	Plate	GB-6061-1500-12-24
1.500	1.5	1.5	T651	Plate	GB-6061-1500-15-15
2.000	0.5	12	T651	Plate	GB-6061-2000-00-12
2.000	1	12	T651	Plate	GB-6061-2000-01-12
2.000	2	2	T651	Plate	GB-6061-2000-02-02
2.000	2	3	T651	Plate	GB-6061-2000-02-03
2.000	2	4	T651	Plate	GB-6061-2000-02-04
2.000	2	6	T651	Plate	GB-6061-2000-02-06
2.000	2	12	T651	Plate	GB-6061-2000-02-12
2.000	3	3	T651	Plate	GB-6061-2000-03-03
2.000	3	6	T651	Plate	GB-6061-2000-03-06
2.000	4	4	T651	Plate	GB-6061-2000-04-04
2.000	4	6	T651	Plate	GB-6061-2000-04-06
2.000	4	8	T651	Plate	GB-6061-2000-04-08
2.000	4	12	T651	Plate	GB-6061-2000-04-12
2.000	6	6	T651	Plate	GB-6061-2000-06-06
2.000	6	12	T651	Plate	GB-6061-2000-06-12
2.000	8	8	T651	Plate	GB-6061-2000-08-08
2.000	8	12	T651	Plate	GB-6061-2000-08-12
2.000	12	12	T651	Plate	GB-6061-2000-12-12
2.000	12	18	T651	Plate	GB-6061-2000-12-18
2.000	12	24	T651	Plate	GB-6061-2000-12-24
2.500	2	2	T651	Plate	GB-6061-2500-02-02
3.000	3	3	T651	Plate	GB-6061-3000-03-03
3.000	6	12	T651	Plate	GB-6061-3000-06-12
4.000	4	4	T651	Plate	GB-6061-4000-04-04
5.000	5	5	T651	Plate	GB-6061-5000-05-05
6.000	6	6	T651	Plate	GB-6061-6000-06-06
7.500	7	7	T651	Plate	GB-6061-7500-07-07

6061 Aluminum Plate and Sheet

6-Side Precision Blanks

- Precision ground or milled 2-sides for thickness and flatness
- Precision milled 4-sides for width and length
- All dimensions +/- .002", flat, square and parallel ready for machining



Thickness	Width	Length	Temper	Type	Part #
0.125	0.500	12.000	T6	Sheet	SB-6061-0125-00-12
0.125	1.000	12.000	T6	Sheet	SB-6061-0125-01-12
0.125	2.000	3.000	T6	Sheet	SB-6061-0125-02-03
0.125	2.000	4.000	T6	Sheet	SB-6061-0125-02-04
0.125	2.000	6.000	T6	Sheet	SB-6061-0125-02-06
0.125	2.000	12.000	T6	Sheet	SB-6061-0125-02-12
0.125	3.000	3.000	T6	Sheet	SB-6061-0125-03-03
0.125	3.000	6.000	T6	Sheet	SB-6061-0125-03-06
0.125	4.000	4.000	T6	Sheet	SB-6061-0125-04-04
0.125	4.000	6.000	T6	Sheet	SB-6061-0125-04-06
0.125	4.000	8.000	T6	Sheet	SB-6061-0125-04-08
0.125	4.000	12.000	T6	Sheet	SB-6061-0125-04-12
0.125	6.000	6.000	T6	Sheet	SB-6061-0125-06-06
0.125	6.000	12.000	T6	Sheet	SB-6061-0125-06-12
0.125	8.000	8.000	T6	Sheet	SB-6061-0125-08-08
0.125	8.000	12.000	T6	Sheet	SB-6061-0125-08-12
0.125	12.000	12.000	T6	Sheet	SB-6061-0125-12-12
0.125	12.000	18.000	T6	Sheet	SB-6061-0125-12-18
0.125	12.000	24.000	T6	Sheet	SB-6061-0125-12-24
0.125	24.000	24.000	T6	Sheet	SB-6061-0125-24-24
0.190	0.500	12.000	T651	Plate	SB-6061-0190-00-12
0.190	1.000	12.000	T651	Plate	SB-6061-0190-01-12
0.190	2.000	3.000	T651	Plate	SB-6061-0190-02-03
0.190	2.000	4.000	T651	Plate	SB-6061-0190-02-04
0.190	2.000	6.000	T651	Plate	SB-6061-0190-02-06
0.190	2.000	12.000	T651	Plate	SB-6061-0190-02-12
0.190	3.000	3.000	T651	Plate	SB-6061-0190-03-03
0.190	3.000	6.000	T651	Plate	SB-6061-0190-03-06

All measurements are in inches unless otherwise specified

6061 Aluminum Plate and Sheet

6-Side Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
0.190	4.000	4.000	T651	Plate	SB-6061-0190-04-04
0.190	4.000	6.000	T651	Plate	SB-6061-0190-04-06
0.190	4.000	8.000	T651	Plate	SB-6061-0190-04-08
0.190	4.000	12.000	T651	Plate	SB-6061-0190-04-12
0.190	6.000	6.000	T651	Plate	SB-6061-0190-06-06
0.190	6.000	12.000	T651	Plate	SB-6061-0190-06-12
0.190	8.000	8.000	T651	Plate	SB-6061-0190-08-08
0.190	8.000	12.000	T651	Plate	SB-6061-0190-08-12
0.190	12.000	12.000	T651	Plate	SB-6061-0190-12-12
0.190	12.000	18.000	T651	Plate	SB-6061-0190-12-18
0.190	12.000	24.000	T651	Plate	SB-6061-0190-12-24
0.190	24.000	24.000	T651	Plate	SB-6061-0190-24-24
0.250	0.500	12.000	T651	Plate	SB-6061-0250-00-12
0.250	1.000	12.000	T651	Plate	SB-6061-0250-01-12
0.250	2.000	3.000	T651	Plate	SB-6061-0250-02-03
0.250	2.000	4.000	T651	Plate	SB-6061-0250-02-04
0.250	2.000	6.000	T651	Plate	SB-6061-0250-02-06
0.250	2.000	12.000	T651	Plate	SB-6061-0250-02-12
0.250	3.000	3.000	T651	Plate	SB-6061-0250-03-03
0.250	3.000	6.000	T651	Plate	SB-6061-0250-03-06
0.250	4.000	4.000	T651	Plate	SB-6061-0250-04-04
0.250	4.000	6.000	T651	Plate	SB-6061-0250-04-06
0.250	4.000	8.000	T651	Plate	SB-6061-0250-04-08
0.250	4.000	12.000	T651	Plate	SB-6061-0250-04-12
0.250	6.000	6.000	T651	Plate	SB-6061-0250-06-06
0.250	6.000	12.000	T651	Plate	SB-6061-0250-06-12
0.250	8.000	8.000	T651	Plate	SB-6061-0250-08-08
0.250	8.000	12.000	T651	Plate	SB-6061-0250-08-12
0.250	12.000	12.000	T651	Plate	SB-6061-0250-12-12
0.250	12.000	18.000	T651	Plate	SB-6061-0250-12-18
0.250	12.000	24.000	T651	Plate	SB-6061-0250-12-24
0.250	24.000	24.000	T651	Plate	SB-6061-0250-24-24

6061 Aluminum Plate and Sheet

6-Side Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
0.375	0.500	12.000	T651	Plate	SB-6061-0375-00-12
0.375	1.000	12.000	T651	Plate	SB-6061-0375-01-12
0.375	2.000	3.000	T651	Plate	SB-6061-0375-02-03
0.375	2.000	4.000	T651	Plate	SB-6061-0375-02-04
0.375	2.000	6.000	T651	Plate	SB-6061-0375-02-06
0.375	2.000	12.000	T651	Plate	SB-6061-0375-02-12
0.375	3.000	3.000	T651	Plate	SB-6061-0375-03-03
0.375	3.000	6.000	T651	Plate	SB-6061-0375-03-06
0.375	4.000	4.000	T651	Plate	SB-6061-0375-04-04
0.375	4.000	6.000	T651	Plate	SB-6061-0375-04-06
0.375	4.000	8.000	T651	Plate	SB-6061-0375-04-08
0.375	4.000	12.000	T651	Plate	SB-6061-0375-04-12
0.375	6.000	6.000	T651	Plate	SB-6061-0375-06-06
0.375	6.000	12.000	T651	Plate	SB-6061-0375-06-12
0.375	8.000	8.000	T651	Plate	SB-6061-0375-08-08
0.375	8.000	12.000	T651	Plate	SB-6061-0375-08-12
0.375	12.000	12.000	T651	Plate	SB-6061-0375-12-12
0.375	12.000	18.000	T651	Plate	SB-6061-0375-12-18
0.375	12.000	24.000	T651	Plate	SB-6061-0375-12-24
0.375	24.000	24.000	T651	Plate	SB-6061-0375-24-24
0.500	0.500	12.000	T651	Plate	SB-6061-0500-00-12
0.500	1.000	12.000	T651	Plate	SB-6061-0500-01-12
0.500	2.000	3.000	T651	Plate	SB-6061-0500-02-03
0.500	2.000	4.000	T651	Plate	SB-6061-0500-02-04
0.500	2.000	6.000	T651	Plate	SB-6061-0500-02-06
0.500	2.000	12.000	T651	Plate	SB-6061-0500-02-12
0.500	3.000	3.000	T651	Plate	SB-6061-0500-03-03
0.500	3.000	6.000	T651	Plate	SB-6061-0500-03-06
0.500	4.000	4.000	T651	Plate	SB-6061-0500-04-04
0.500	4.000	6.000	T651	Plate	SB-6061-0500-04-06
0.500	4.000	8.000	T651	Plate	SB-6061-0500-04-08
0.500	4.000	12.000	T651	Plate	SB-6061-0500-04-12

6061 Aluminum Plate and Sheet

6-Side Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
0.500	6.000	6.000	T651	Plate	SB-6061-0500-06-06
0.500	6.000	12.000	T651	Plate	SB-6061-0500-06-12
0.500	8.000	8.000	T651	Plate	SB-6061-0500-08-08
0.500	8.000	12.000	T651	Plate	SB-6061-0500-08-12
0.500	12.000	12.000	T651	Plate	SB-6061-0500-12-12
0.500	12.000	18.000	T651	Plate	SB-6061-0500-12-18
0.500	12.000	24.000	T651	Plate	SB-6061-0500-12-24
0.500	24.000	24.000	T651	Plate	SB-6061-0500-24-24
0.625	0.500	12.000	T651	Plate	SB-6061-0625-00-12
0.625	1.000	12.000	T651	Plate	SB-6061-0625-01-12
0.625	2.000	3.000	T651	Plate	SB-6061-0625-02-03
0.625	2.000	4.000	T651	Plate	SB-6061-0625-02-04
0.625	2.000	6.000	T651	Plate	SB-6061-0625-02-06
0.625	2.000	12.000	T651	Plate	SB-6061-0625-02-12
0.625	3.000	3.000	T651	Plate	SB-6061-0625-03-03
0.625	3.000	6.000	T651	Plate	SB-6061-0625-03-06
0.625	4.000	4.000	T651	Plate	SB-6061-0625-04-04
0.625	4.000	6.000	T651	Plate	SB-6061-0625-04-06
0.625	4.000	8.000	T651	Plate	SB-6061-0625-04-08
0.625	4.000	12.000	T651	Plate	SB-6061-0625-04-12
0.625	6.000	6.000	T651	Plate	SB-6061-0625-06-06
0.625	6.000	12.000	T651	Plate	SB-6061-0625-06-12
0.625	8.000	8.000	T651	Plate	SB-6061-0625-08-08
0.625	8.000	12.000	T651	Plate	SB-6061-0625-08-12
0.625	12.000	12.000	T651	Plate	SB-6061-0625-12-12
0.625	12.000	18.000	T651	Plate	SB-6061-0625-12-18
0.625	12.000	24.000	T651	Plate	SB-6061-0625-12-24
0.625	24.000	24.000	T651	Plate	SB-6061-0625-24-24
0.750	0.500	12.000	T651	Plate	SB-6061-0750-00-12
0.750	1.000	12.000	T651	Plate	SB-6061-0750-01-12
0.750	2.000	3.000	T651	Plate	SB-6061-0750-02-03
0.750	2.000	4.000	T651	Plate	SB-6061-0750-02-04

6061 Aluminum Plate and Sheet

6-Side Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
0.750	2.000	6.000	T651	Plate	SB-6061-0750-02-06
0.750	2.000	12.000	T651	Plate	SB-6061-0750-02-12
0.750	3.000	3.000	T651	Plate	SB-6061-0750-03-03
0.750	3.000	6.000	T651	Plate	SB-6061-0750-03-06
0.750	4.000	4.000	T651	Plate	SB-6061-0750-04-04
0.750	4.000	6.000	T651	Plate	SB-6061-0750-04-06
0.750	4.000	8.000	T651	Plate	SB-6061-0750-04-08
0.750	4.000	12.000	T651	Plate	SB-6061-0750-04-12
0.750	6.000	6.000	T651	Plate	SB-6061-0750-06-06
0.750	6.000	12.000	T651	Plate	SB-6061-0750-06-12
0.750	8.000	8.000	T651	Plate	SB-6061-0750-08-08
0.750	8.000	12.000	T651	Plate	SB-6061-0750-08-12
0.750	12.000	12.000	T651	Plate	SB-6061-0750-12-12
0.750	12.000	18.000	T651	Plate	SB-6061-0750-12-18
0.750	12.000	24.000	T651	Plate	SB-6061-0750-12-24
0.750	24.000	24.000	T651	Plate	SB-6061-0750-24-24
0.875	0.500	12.000	T651	Plate	SB-6061-0875-00-12
0.875	1.000	12.000	T651	Plate	SB-6061-0875-01-12
0.875	2.000	3.000	T651	Plate	SB-6061-0875-02-03
0.875	2.000	4.000	T651	Plate	SB-6061-0875-02-04
0.875	2.000	6.000	T651	Plate	SB-6061-0875-02-06
0.875	2.000	12.000	T651	Plate	SB-6061-0875-02-12
0.875	3.000	3.000	T651	Plate	SB-6061-0875-03-03
0.875	3.000	6.000	T651	Plate	SB-6061-0875-03-06
0.875	4.000	4.000	T651	Plate	SB-6061-0875-04-04
0.875	4.000	6.000	T651	Plate	SB-6061-0875-04-06
0.875	4.000	8.000	T651	Plate	SB-6061-0875-04-08
0.875	4.000	12.000	T651	Plate	SB-6061-0875-04-12
0.875	6.000	6.000	T651	Plate	SB-6061-0875-06-06
0.875	6.000	12.000	T651	Plate	SB-6061-0875-06-12
0.875	8.000	8.000	T651	Plate	SB-6061-0875-08-08
0.875	8.000	12.000	T651	Plate	SB-6061-0875-08-12

6061 Aluminum Plate and Sheet

6-Side Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
0.875	12.000	12.000	T651	Plate	SB-6061-0875-12-12
0.875	12.000	18.000	T651	Plate	SB-6061-0875-12-18
0.875	12.000	24.000	T651	Plate	SB-6061-0875-12-24
0.875	24.000	24.000	T651	Plate	SB-6061-0875-24-24
1.000	0.500	12.000	T651	Plate	SB-6061-1000-00-12
1.000	1.000	1.000	T651	Plate	SB-6061-1000-01-01
1.000	1.000	12.000	T651	Plate	SB-6061-1000-01-12
1.000	2.000	3.000	T651	Plate	SB-6061-1000-02-03
1.000	2.000	4.000	T651	Plate	SB-6061-1000-02-04
1.000	2.000	6.000	T651	Plate	SB-6061-1000-02-06
1.000	2.000	12.000	T651	Plate	SB-6061-1000-02-12
1.000	3.000	3.000	T651	Plate	SB-6061-1000-03-03
1.000	3.000	6.000	T651	Plate	SB-6061-1000-03-06
1.000	4.000	4.000	T651	Plate	SB-6061-1000-04-04
1.000	4.000	6.000	T651	Plate	SB-6061-1000-04-06
1.000	4.000	8.000	T651	Plate	SB-6061-1000-04-08
1.000	4.000	12.000	T651	Plate	SB-6061-1000-04-12
1.000	6.000	6.000	T651	Plate	SB-6061-1000-06-06
1.000	6.000	12.000	T651	Plate	SB-6061-1000-06-12
1.000	8.000	8.000	T651	Plate	SB-6061-1000-08-08
1.000	8.000	12.000	T651	Plate	SB-6061-1000-08-12
1.000	12.000	12.000	T651	Plate	SB-6061-1000-12-12
1.000	12.000	18.000	T651	Plate	SB-6061-1000-12-18
1.000	12.000	24.000	T651	Plate	SB-6061-1000-12-24
1.000	24.000	24.000	T651	Plate	SB-6061-1000-24-24
1.250	0.500	12.000	T651	Plate	SB-6061-1250-00-12
1.250	1.000	12.000	T651	Plate	SB-6061-1250-01-12
1.250	2.000	3.000	T651	Plate	SB-6061-1250-02-03
1.250	2.000	4.000	T651	Plate	SB-6061-1250-02-04
1.250	2.000	6.000	T651	Plate	SB-6061-1250-02-06
1.250	2.000	12.000	T651	Plate	SB-6061-1250-02-12
1.250	3.000	3.000	T651	Plate	SB-6061-1250-03-03

6061 Aluminum Plate and Sheet

6-Side Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
1.250	3.000	6.000	T651	Plate	SB-6061-1250-03-06
1.250	4.000	4.000	T651	Plate	SB-6061-1250-04-04
1.250	4.000	6.000	T651	Plate	SB-6061-1250-04-06
1.250	4.000	8.000	T651	Plate	SB-6061-1250-04-08
1.250	4.000	12.000	T651	Plate	SB-6061-1250-04-12
1.250	6.000	6.000	T651	Plate	SB-6061-1250-06-06
1.250	6.000	12.000	T651	Plate	SB-6061-1250-06-12
1.250	8.000	8.000	T651	Plate	SB-6061-1250-08-08
1.250	8.000	12.000	T651	Plate	SB-6061-1250-08-12
1.250	12.000	12.000	T651	Plate	SB-6061-1250-12-12
1.250	12.000	18.000	T651	Plate	SB-6061-1250-12-18
1.250	12.000	24.000	T651	Plate	SB-6061-1250-12-24
1.250	24.000	24.000	T651	Plate	SB-6061-1250-24-24
1.500	0.500	12.000	T651	Plate	SB-6061-1500-00-12
1.500	1.000	12.000	T651	Plate	SB-6061-1500-01-12
1.500	2.000	3.000	T651	Plate	SB-6061-1500-02-03
1.500	2.000	4.000	T651	Plate	SB-6061-1500-02-04
1.500	2.000	6.000	T651	Plate	SB-6061-1500-02-06
1.500	2.000	12.000	T651	Plate	SB-6061-1500-02-12
1.500	3.000	3.000	T651	Plate	SB-6061-1500-03-03
1.500	3.000	6.000	T651	Plate	SB-6061-1500-03-06
1.500	4.000	4.000	T651	Plate	SB-6061-1500-04-04
1.500	4.000	6.000	T651	Plate	SB-6061-1500-04-06
1.500	4.000	8.000	T651	Plate	SB-6061-1500-04-08
1.500	4.000	12.000	T651	Plate	SB-6061-1500-04-12
1.500	6.000	6.000	T651	Plate	SB-6061-1500-06-06
1.500	6.000	12.000	T651	Plate	SB-6061-1500-06-12
1.500	8.000	8.000	T651	Plate	SB-6061-1500-08-08
1.500	8.000	12.000	T651	Plate	SB-6061-1500-08-12
1.500	12.000	12.000	T651	Plate	SB-6061-1500-12-12
1.500	12.000	18.000	T651	Plate	SB-6061-1500-12-18
1.500	12.000	24.000	T651	Plate	SB-6061-1500-12-24

6061 Aluminum Plate and Sheet

6-Side Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
1.500	1.500	1.500	T651	Plate	SB-6061-1500-15-15
1.500	24.000	24.000	T651	Plate	SB-6061-1500-24-24
2.000	0.500	12.000	T651	Plate	SB-6061-2000-00-12
2.000	1.000	12.000	T651	Plate	SB-6061-2000-01-12
2.000	2.000	2.000	T651	Plate	SB-6061-2000-02-02
2.000	2.000	3.000	T651	Plate	SB-6061-2000-02-03
2.000	2.000	4.000	T651	Plate	SB-6061-2000-02-04
2.000	2.000	6.000	T651	Plate	SB-6061-2000-02-06
2.000	2.000	12.000	T651	Plate	SB-6061-2000-02-12
2.000	3.000	3.000	T651	Plate	SB-6061-2000-03-03
2.000	3.000	6.000	T651	Plate	SB-6061-2000-03-06
2.000	4.000	4.000	T651	Plate	SB-6061-2000-04-04
2.000	4.000	6.000	T651	Plate	SB-6061-2000-04-06
2.000	4.000	8.000	T651	Plate	SB-6061-2000-04-08
2.000	4.000	12.000	T651	Plate	SB-6061-2000-04-12
2.000	6.000	6.000	T651	Plate	SB-6061-2000-06-06
2.000	6.000	12.000	T651	Plate	SB-6061-2000-06-12
2.000	8.000	8.000	T651	Plate	SB-6061-2000-08-08
2.000	8.000	12.000	T651	Plate	SB-6061-2000-08-12
2.000	12.000	12.000	T651	Plate	SB-6061-2000-12-12
2.000	12.000	18.000	T651	Plate	SB-6061-2000-12-18
2.000	12.000	24.000	T651	Plate	SB-6061-2000-12-24
2.000	24.000	24.000	T651	Plate	SB-6061-2000-24-24
2.500	2.000	2.000	T651	Plate	SB-6061-2500-02-02
3.000	3.000	3.000	T651	Plate	SB-6061-3000-03-03
3.000	6.000	12.000	T651	Plate	SB-6061-3000-06-12
3.500	3.500	3.500	T651	Plate	SB-6061-3500-35-35
4.000	4.000	4.000	T651	Plate	SB-6061-4000-04-04
5.000	5.000	5.000	T651	Plate	SB-6061-5000-05-05
6.000	6.000	6.000	T651	Plate	SB-6061-6000-06-06
7.500	7.000	7.000	T651	Plate	SB-6061-7500-07-07
8.000	8.000	8.000	T651	Plate	SB-6061-8000-08-08

6061 Aluminum Plate and Sheet

2-Side Precision Blanks (Metric Thickness)

- Precision ground or milled 2-sides on thickness to to +/- .002"
- Width and length saw cut, +/- .063-0"
- Parts are flat, square (surface to edge) and parallel, ready for machining



Thickness (inches)	Thickness (millimeters)	Width (inches)	Length (inches)	Temper	Type	Part #
0.236	6	2.000	12.000	T651	Plate	MG-6061-0236-02-12
0.236	6	2.000	24.000	T651	Plate	MG-6061-0236-02-24
0.236	6	4.000	12.000	T651	Plate	MG-6061-0236-04-12
0.236	6	4.000	24.000	T651	Plate	MG-6061-0236-04-24
0.236	6	6.000	6.000	T651	Plate	MG-6061-0236-06-06
0.236	6	6.000	12.000	T651	Plate	MG-6061-0236-06-12
0.236	6	6.000	24.000	T651	Plate	MG-6061-0236-06-24
0.236	6	12.000	12.000	T651	Plate	MG-6061-0236-12-12
0.236	6	12.000	24.000	T651	Plate	MG-6061-0236-12-24
0.236	6	24.000	24.000	T651	Plate	MG-6061-0236-24-24
0.315	8	2.000	12.000	T651	Plate	MG-6061-0315-02-12
0.315	8	2.000	24.000	T651	Plate	MG-6061-0315-02-24
0.315	8	4.000	12.000	T651	Plate	MG-6061-0315-04-12
0.315	8	4.000	24.000	T651	Plate	MG-6061-0315-04-24
0.315	8	6.000	6.000	T651	Plate	MG-6061-0315-06-06
0.315	8	6.000	12.000	T651	Plate	MG-6061-0315-06-12
0.315	8	6.000	24.000	T651	Plate	MG-6061-0315-06-24
0.315	8	12.000	12.000	T651	Plate	MG-6061-0315-12-12
0.315	8	12.000	24.000	T651	Plate	MG-6061-0315-12-24
0.315	8	24.000	24.000	T651	Plate	MG-6061-0315-24-24
0.394	10	2.000	12.000	T651	Plate	MG-6061-0394-02-12
0.394	10	2.000	24.000	T651	Plate	MG-6061-0394-02-24
0.394	10	4.000	12.000	T651	Plate	MG-6061-0394-04-12
0.394	10	4.000	24.000	T651	Plate	MG-6061-0394-04-24
0.394	10	6.000	6.000	T651	Plate	MG-6061-0394-06-06
0.394	10	6.000	12.000	T651	Plate	MG-6061-0394-06-12
0.394	10	6.000	24.000	T651	Plate	MG-6061-0394-06-24
0.394	10	12.000	12.000	T651	Plate	MG-6061-0394-12-12
0.394	10	12.000	24.000	T651	Plate	MG-6061-0394-12-24
0.394	10	24.000	24.000	T651	Plate	MG-6061-0394-24-24
0.591	15	2.000	12.000	T651	Plate	MG-6061-0591-02-12
0.591	15	2.000	24.000	T651	Plate	MG-6061-0591-02-24

6061 Aluminum Plate and Sheet 2-Side Blanks (Metric) *(Continued)*

Thickness (inches)	Thickness (millimeters)	Width (inches)	Length (inches)	Temper	Type	Part #
0.591	15	4.000	12.000	T651	Plate	MG-6061-0591-04-12
0.591	15	4.000	24.000	T651	Plate	MG-6061-0591-04-24
0.591	15	6.000	6.000	T651	Plate	MG-6061-0591-06-06
0.591	15	6.000	12.000	T651	Plate	MG-6061-0591-06-12
0.591	15	6.000	24.000	T651	Plate	MG-6061-0591-06-24
0.591	15	12.000	12.000	T651	Plate	MG-6061-0591-12-12
0.591	15	12.000	24.000	T651	Plate	MG-6061-0591-12-24
0.591	15	24.000	24.000	T651	Plate	MG-6061-0591-24-24
0.787	20	2.000	12.000	T651	Plate	MG-6061-0787-02-12
0.787	20	2.000	24.000	T651	Plate	MG-6061-0787-02-24
0.787	20	4.000	12.000	T651	Plate	MG-6061-0787-04-12
0.787	20	4.000	24.000	T651	Plate	MG-6061-0787-04-24
0.787	20	6.000	6.000	T651	Plate	MG-6061-0787-06-06
0.787	20	6.000	12.000	T651	Plate	MG-6061-0787-06-12
0.787	20	6.000	24.000	T651	Plate	MG-6061-0787-06-24
0.787	20	12.000	12.000	T651	Plate	MG-6061-0787-12-12
0.787	20	12.000	24.000	T651	Plate	MG-6061-0787-12-24
0.787	20	24.000	24.000	T651	Plate	MG-6061-0787-24-24
0.984	25	2.000	12.000	T651	Plate	MG-6061-0984-02-12
0.984	25	2.000	24.000	T651	Plate	MG-6061-0984-02-24
0.984	25	4.000	12.000	T651	Plate	MG-6061-0984-04-12
0.984	25	4.000	24.000	T651	Plate	MG-6061-0984-04-24
0.984	25	6.000	6.000	T651	Plate	MG-6061-0984-06-06
0.984	25	6.000	12.000	T651	Plate	MG-6061-0984-06-12
0.984	25	6.000	24.000	T651	Plate	MG-6061-0984-06-24
0.984	25	12.000	12.000	T651	Plate	MG-6061-0984-12-12
0.984	25	12.000	24.000	T651	Plate	MG-6061-0984-12-24
0.984	25	24.000	24.000	T651	Plate	MG-6061-0984-24-24
1.181	30	2.000	12.000	T651	Plate	MG-6061-1181-02-12
1.181	30	2.000	24.000	T651	Plate	MG-6061-1181-02-24
1.181	30	4.000	12.000	T651	Plate	MG-6061-1181-04-12
1.181	30	4.000	24.000	T651	Plate	MG-6061-1181-04-24
1.181	30	6.000	6.000	T651	Plate	MG-6061-1181-06-06
1.181	30	6.000	12.000	T651	Plate	MG-6061-1181-06-12
1.181	30	6.000	24.000	T651	Plate	MG-6061-1181-06-24
1.181	30	12.000	12.000	T651	Plate	MG-6061-1181-12-12
1.181	30	12.000	24.000	T651	Plate	MG-6061-1181-12-24
1.181	30	24.000	24.000	T651	Plate	MG-6061-1181-24-24

6061 Aluminum Plate and Sheet

6-Side Precision Blanks (Metric Thickness)



- Precision ground or milled 2-sides for thickness and flatness
- Precision milled 4-sides for width and length
- All dimensions +/- .002", flat, square and parallel ready for machining

Thickness (inches)	Thickness (millimeters)	Width (inches)	Length (inches)	Temper	Type	Part #
0.236	6	2.000	12.000	T651	Plate	MB-6061-0236-02-12
0.236	6	2.000	24.000	T651	Plate	MB-6061-0236-02-24
0.236	6	4.000	12.000	T651	Plate	MB-6061-0236-04-12
0.236	6	4.000	24.000	T651	Plate	MB-6061-0236-04-24
0.236	6	6.000	6.000	T651	Plate	MB-6061-0236-06-06
0.236	6	6.000	12.000	T651	Plate	MB-6061-0236-06-12
0.236	6	6.000	24.000	T651	Plate	MB-6061-0236-06-24
0.236	6	12.000	12.000	T651	Plate	MB-6061-0236-12-12
0.236	6	12.000	24.000	T651	Plate	MB-6061-0236-12-24
0.236	6	24.000	24.000	T651	Plate	MB-6061-0236-24-24
0.315	8	2.000	12.000	T651	Plate	MB-6061-0315-02-12
0.315	8	2.000	24.000	T651	Plate	MB-6061-0315-02-24
0.315	8	4.000	12.000	T651	Plate	MB-6061-0315-04-12
0.315	8	4.000	24.000	T651	Plate	MB-6061-0315-04-24
0.315	8	6.000	6.000	T651	Plate	MB-6061-0315-06-06
0.315	8	6.000	12.000	T651	Plate	MB-6061-0315-06-12
0.315	8	6.000	24.000	T651	Plate	MB-6061-0315-06-24
0.315	8	12.000	12.000	T651	Plate	MB-6061-0315-12-12
0.315	8	12.000	24.000	T651	Plate	MB-6061-0315-12-24
0.315	8	24.000	24.000	T651	Plate	MB-6061-0315-24-24
0.394	10	2.000	12.000	T651	Plate	MB-6061-0394-02-12

6061 Aluminum Plate and Sheet 6-Side Blanks (Metric) (Continued)

Thickness (inches)	Thickness (millimeters)	Width (inches)	Length (inches)	Temper	Type	Part #
0.394	10	2.000	24.000	T651	Plate	MB-6061-0394-02-24
0.394	10	4.000	12.000	T651	Plate	MB-6061-0394-04-12
0.394	10	4.000	24.000	T651	Plate	MB-6061-0394-04-24
0.394	10	6.000	6.000	T651	Plate	MB-6061-0394-06-06
0.394	10	6.000	12.000	T651	Plate	MB-6061-0394-06-12
0.394	10	6.000	24.000	T651	Plate	MB-6061-0394-06-24
0.394	10	12.000	12.000	T651	Plate	MB-6061-0394-12-12
0.394	10	12.000	24.000	T651	Plate	MB-6061-0394-12-24
0.394	10	24.000	24.000	T651	Plate	MB-6061-0394-24-24
0.591	15	2.000	12.000	T651	Plate	MB-6061-0591-02-12
0.591	15	2.000	24.000	T651	Plate	MB-6061-0591-02-24
0.591	15	4.000	12.000	T651	Plate	MB-6061-0591-04-12
0.591	15	4.000	24.000	T651	Plate	MB-6061-0591-04-24
0.591	15	6.000	6.000	T651	Plate	MB-6061-0591-06-06
0.591	15	6.000	12.000	T651	Plate	MB-6061-0591-06-12
0.591	15	6.000	24.000	T651	Plate	MB-6061-0591-06-24
0.591	15	12.000	12.000	T651	Plate	MB-6061-0591-12-12
0.591	15	12.000	24.000	T651	Plate	MB-6061-0591-12-24
0.591	15	24.000	24.000	T651	Plate	MB-6061-0591-24-24
0.787	20	2.000	12.000	T651	Plate	MB-6061-0787-02-12
0.787	20	2.000	24.000	T651	Plate	MB-6061-0787-02-24
0.787	20	4.000	12.000	T651	Plate	MB-6061-0787-04-12
0.787	20	4.000	24.000	T651	Plate	MB-6061-0787-04-24
0.787	20	6.000	6.000	T651	Plate	MB-6061-0787-06-06
0.787	20	6.000	12.000	T651	Plate	MB-6061-0787-06-12

6061 Aluminum Plate and Sheet 6-Side Blanks (Metric) *(Continued)*

Thickness (inches)	Thickness (millimeters)	Width (inches)	Length (inches)	Temper	Type	Part #
0.787	20	6.000	24.000	T651	Plate	MB-6061-0787-06-24
0.787	20	12.000	12.000	T651	Plate	MB-6061-0787-12-12
0.787	20	12.000	24.000	T651	Plate	MB-6061-0787-12-24
0.787	20	24.000	24.000	T651	Plate	MB-6061-0787-24-24
0.984	25	2.000	12.000	T651	Plate	MB-6061-0984-02-12
0.984	25	2.000	24.000	T651	Plate	MB-6061-0984-02-24
0.984	25	4.000	12.000	T651	Plate	MB-6061-0984-04-12
0.984	25	4.000	24.000	T651	Plate	MB-6061-0984-04-24
0.984	25	6.000	6.000	T651	Plate	MB-6061-0984-06-06
0.984	25	6.000	12.000	T651	Plate	MB-6061-0984-06-12
0.984	25	6.000	24.000	T651	Plate	MB-6061-0984-06-24
0.984	25	12.000	12.000	T651	Plate	MB-6061-0984-12-12
0.984	25	12.000	24.000	T651	Plate	MB-6061-0984-12-24
0.984	25	24.000	24.000	T651	Plate	MB-6061-0984-24-24
1.181	30	2.000	12.000	T651	Plate	MB-6061-1181-02-12
1.181	30	2.000	24.000	T651	Plate	MB-6061-1181-02-24
1.181	30	4.000	12.000	T651	Plate	MB-6061-1181-04-12
1.181	30	4.000	24.000	T651	Plate	MB-6061-1181-04-24
1.181	30	6.000	6.000	T651	Plate	MB-6061-1181-06-06
1.181	30	6.000	12.000	T651	Plate	MB-6061-1181-06-12
1.181	30	6.000	24.000	T651	Plate	MB-6061-1181-06-24
1.181	30	12.000	12.000	T651	Plate	MB-6061-1181-12-12
1.181	30	12.000	24.000	T651	Plate	MB-6061-1181-12-24
1.181	30	24.000	24.000	T651	Plate	MB-6061-1181-24-24

6061 Aluminum Plate and Sheet

Round Precision Blanks

- Precision ground or milled 2-sides for thickness and flatness to +/- .002"
- Diameter based on stock



Thickness	Diameter	Temper	Type	Part #
0.250	2	T651	Plate	RB-6061-0250-02
0.250	3	T651	Plate	RB-6061-0250-03
0.250	4	T651	Plate	RB-6061-0250-04
0.250	6	T651	Plate	RB-6061-0250-06
0.250	8	T651	Plate	RB-6061-0250-08
0.250	10	T651	Plate	RB-6061-0250-10
0.250	12	T651	Plate	RB-6061-0250-12
0.375	2	T651	Plate	RB-6061-0375-02
0.375	3	T651	Plate	RB-6061-0375-03
0.375	4	T651	Plate	RB-6061-0375-04
0.375	6	T651	Plate	RB-6061-0375-06
0.375	8	T651	Plate	RB-6061-0375-08
0.375	10	T651	Plate	RB-6061-0375-10
0.375	12	T651	Plate	RB-6061-0375-12
0.500	2	T651	Plate	RB-6061-0500-02
0.500	3	T651	Plate	RB-6061-0500-03
0.500	4	T651	Plate	RB-6061-0500-04
0.500	6	T651	Plate	RB-6061-0500-06
0.500	8	T651	Plate	RB-6061-0500-08
0.500	10	T651	Plate	RB-6061-0500-10
0.500	12	T651	Plate	RB-6061-0500-12
0.750	2	T651	Plate	RB-6061-0750-02
0.750	3	T651	Plate	RB-6061-0750-03
0.750	4	T651	Plate	RB-6061-0750-04
0.750	6	T651	Plate	RB-6061-0750-06
0.750	8	T651	Plate	RB-6061-0750-08

All measurements are in inches unless otherwise specified

6061 Aluminum Plate and Sheet

Round Blanks *(Continued)*

Thickness	Diameter	Temper	Type	Part #
0.750	10	T651	Plate	RB-6061-0750-10
0.750	12	T651	Plate	RB-6061-0750-12
1.000	2	T651	Plate	RB-6061-1000-02
1.000	3	T651	Plate	RB-6061-1000-03
1.000	4	T651	Plate	RB-6061-1000-04
1.000	6	T651	Plate	RB-6061-1000-06
1.000	8	T651	Plate	RB-6061-1000-08
1.000	10	T651	Plate	RB-6061-1000-10
1.000	12	T651	Plate	RB-6061-1000-12
1.500	2	T651	Plate	RB-6061-1500-02
1.500	3	T651	Plate	RB-6061-1500-03
1.500	4	T651	Plate	RB-6061-1500-04
1.500	6	T651	Plate	RB-6061-1500-06
1.500	8	T651	Plate	RB-6061-1500-08
1.500	10	T651	Plate	RB-6061-1500-10
1.500	12	T651	Plate	RB-6061-1500-12
2.000	2	T651	Plate	RB-6061-2000-02
2.000	3	T651	Plate	RB-6061-2000-03
2.000	4	T651	Plate	RB-6061-2000-04
2.000	6	T651	Plate	RB-6061-2000-06
2.000	8	T651	Plate	RB-6061-2000-08
2.000	10	T651	Plate	RB-6061-2000-10
2.000	12	T651	Plate	RB-6061-2000-12
3.000	2	T651	Plate	RB-6061-3000-02
3.000	3	T651	Plate	RB-6061-3000-03
3.000	4	T651	Plate	RB-6061-3000-04
3.000	6	T651	Plate	RB-6061-3000-06
3.000	8	T651	Plate	RB-6061-3000-08
3.000	10	T651	Plate	RB-6061-3000-10
3.000	12	T651	Plate	RB-6061-3000-12

2024 Aluminum Plate and Sheet

Excellent Strength-to-Weight Ratio

2024 aluminum alloy provides high strength and good fatigue resistance due to its aluminum and copper composition. 2024 aluminum plate is ideal for use in applications where good strength-to-weight ratio is important. Alloy 2024 aluminum plate is excellent for precision parts because of its machinability and grain structure. It has good weld properties, but less corrosion resistance than other alloys. 2024 aluminum plate has been solution heat treated, cold worked, and naturally aged minimally stretched to reduce stresses in the material.



2-Side Precision Blanks

- Precision ground or milled 2-sides for thickness and flatness to +/- .002"
- Width and length saw cut, +/- .063-0"

Thickness	Width	Length	Temper	Type	Part #
0.125	2	12	T3	Sheet	GB-2024-0125-02-12
0.125	4	12	T3	Sheet	GB-2024-0125-04-12
0.125	6	6	T3	Sheet	GB-2024-0125-06-06
0.125	6	12	T3	Sheet	GB-2024-0125-06-12
0.125	6	24	T3	Sheet	GB-2024-0125-06-24
0.125	8	8	T3	Sheet	GB-2024-0125-08-08
0.125	12	12	T3	Sheet	GB-2024-0125-12-12
0.125	12	24	T3	Sheet	GB-2024-0125-12-24
0.125	18	18	T3	Sheet	GB-2024-0125-18-18
0.125	24	24	T3	Sheet	GB-2024-0125-24-24
0.190	2	12	T351	Plate	GB-2024-0190-02-12
0.190	4	12	T351	Plate	GB-2024-0190-04-12
0.190	6	6	T351	Plate	GB-2024-0190-06-06
0.190	6	12	T351	Plate	GB-2024-0190-06-12
0.190	6	24	T351	Plate	GB-2024-0190-06-24
0.190	8	8	T351	Plate	GB-2024-0190-08-08
0.190	12	12	T351	Plate	GB-2024-0190-12-12
0.190	12	24	T351	Plate	GB-2024-0190-12-24
0.190	18	18	T351	Plate	GB-2024-0190-18-18
0.190	24	24	T351	Plate	GB-2024-0190-24-24

All measurements are in inches unless otherwise specified

2024 Aluminum Plate and Sheet

2-Side Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
0.250	2	12	T351	Plate	GB-2024-0250-02-12
0.250	4	12	T351	Plate	GB-2024-0250-04-12
0.250	6	6	T351	Plate	GB-2024-0250-06-06
0.250	6	12	T351	Plate	GB-2024-0250-06-12
0.250	6	24	T351	Plate	GB-2024-0250-06-24
0.250	8	8	T351	Plate	GB-2024-0250-08-08
0.250	12	12	T351	Plate	GB-2024-0250-12-12
0.250	12	24	T351	Plate	GB-2024-0250-12-24
0.250	18	18	T351	Plate	GB-2024-0250-18-18
0.250	24	24	T351	Plate	GB-2024-0250-24-24
0.375	2	12	T351	Plate	GB-2024-0375-02-12
0.375	4	12	T351	Plate	GB-2024-0375-04-12
0.375	6	6	T351	Plate	GB-2024-0375-06-06
0.375	6	12	T351	Plate	GB-2024-0375-06-12
0.375	6	24	T351	Plate	GB-2024-0375-06-24
0.375	8	8	T351	Plate	GB-2024-0375-08-08
0.375	12	12	T351	Plate	GB-2024-0375-12-12
0.375	12	24	T351	Plate	GB-2024-0375-12-24
0.375	18	18	T351	Plate	GB-2024-0375-18-18
0.375	24	24	T351	Plate	GB-2024-0375-24-24
0.500	2	12	T351	Plate	GB-2024-0500-02-12
0.500	4	12	T351	Plate	GB-2024-0500-04-12
0.500	6	6	T351	Plate	GB-2024-0500-06-06
0.500	6	12	T351	Plate	GB-2024-0500-06-12
0.500	6	24	T351	Plate	GB-2024-0500-06-24
0.500	8	8	T351	Plate	GB-2024-0500-08-08
0.500	12	12	T351	Plate	GB-2024-0500-12-12
0.500	12	24	T351	Plate	GB-2024-0500-12-24
0.500	18	18	T351	Plate	GB-2024-0500-18-18
0.500	24	24	T351	Plate	GB-2024-0500-24-24

2024 Aluminum Plate and Sheet

2-Side Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
0.625	2	12	T351	Plate	GB-2024-0625-02-12
0.625	4	12	T351	Plate	GB-2024-0625-04-12
0.625	6	6	T351	Plate	GB-2024-0625-06-06
0.625	6	12	T351	Plate	GB-2024-0625-06-12
0.625	6	24	T351	Plate	GB-2024-0625-06-24
0.625	8	8	T351	Plate	GB-2024-0625-08-08
0.625	12	12	T351	Plate	GB-2024-0625-12-12
0.625	12	24	T351	Plate	GB-2024-0625-12-24
0.625	18	18	T351	Plate	GB-2024-0625-18-18
0.625	24	24	T351	Plate	GB-2024-0625-24-24
0.750	2	12	T351	Plate	GB-2024-0750-02-12
0.750	4	12	T351	Plate	GB-2024-0750-04-12
0.750	6	6	T351	Plate	GB-2024-0750-06-06
0.750	6	12	T351	Plate	GB-2024-0750-06-12
0.750	6	24	T351	Plate	GB-2024-0750-06-24
0.750	8	8	T351	Plate	GB-2024-0750-08-08
0.750	12	12	T351	Plate	GB-2024-0750-12-12
0.750	12	24	T351	Plate	GB-2024-0750-12-24
0.750	18	18	T351	Plate	GB-2024-0750-18-18
0.750	24	24	T351	Plate	GB-2024-0750-24-24
1.000	2	12	T351	Plate	GB-2024-1000-02-12
1.000	4	12	T351	Plate	GB-2024-1000-04-12
1.000	6	6	T351	Plate	GB-2024-1000-06-06
1.000	6	12	T351	Plate	GB-2024-1000-06-12
1.000	6	24	T351	Plate	GB-2024-1000-06-24
1.000	8	8	T351	Plate	GB-2024-1000-08-08
1.000	12	12	T351	Plate	GB-2024-1000-12-12
1.000	12	24	T351	Plate	GB-2024-1000-12-24
1.000	18	18	T351	Plate	GB-2024-1000-18-18
1.000	24	24	T351	Plate	GB-2024-1000-24-24

2024 Aluminum Plate and Sheet

6-Side Precision Blanks

- Precision ground or milled 2-sides for thickness and flatness
- Precision milled 4-sides for width and length
- All dimensions +/- .002", flat square and parallel ready for machining



Thickness	Width	Length	Temper	Type	Part #
0.250	2.000	12.000	T351	Plate	SB-2024-0250-02-12
0.250	4.000	12.000	T351	Plate	SB-2024-0250-04-12
0.250	6.000	6.000	T351	Plate	SB-2024-0250-06-06
0.250	6.000	12.000	T351	Plate	SB-2024-0250-06-12
0.250	8.000	8.000	T351	Plate	SB-2024-0250-08-08
0.250	8.000	12.000	T351	Plate	SB-2024-0250-08-12
0.250	12.000	12.000	T351	Plate	SB-2024-0250-12-12
0.250	12.000	18.000	T351	Plate	SB-2024-0250-12-18
0.250	12.000	24.000	T351	Plate	SB-2024-0250-12-24
0.250	24.000	24.000	T351	Plate	SB-2024-0250-24-24
0.375	2.000	12.000	T351	Plate	SB-2024-0375-02-12
0.375	4.000	12.000	T351	Plate	SB-2024-0375-04-12
0.375	6.000	6.000	T351	Plate	SB-2024-0375-06-06
0.375	6.000	12.000	T351	Plate	SB-2024-0375-06-12
0.375	8.000	8.000	T351	Plate	SB-2024-0375-08-08
0.375	8.000	12.000	T351	Plate	SB-2024-0375-08-12
0.375	12.000	12.000	T351	Plate	SB-2024-0375-12-12
0.375	12.000	18.000	T351	Plate	SB-2024-0375-12-18
0.375	12.000	24.000	T351	Plate	SB-2024-0375-12-24
0.375	24.000	24.000	T351	Plate	SB-2024-0375-24-24

All measurements are in inches unless otherwise specified

2024 Aluminum Plate and Sheet

6-Side Blanks (Continued)

Thickness	Width	Length	Temper	Type	Part #
0.500	2.000	12.000	T351	Plate	SB-2024-0500-02-12
0.500	4.000	12.000	T351	Plate	SB-2024-0500-04-12
0.500	6.000	6.000	T351	Plate	SB-2024-0500-06-06
0.500	6.000	12.000	T351	Plate	SB-2024-0500-06-12
0.500	8.000	8.000	T351	Plate	SB-2024-0500-08-08
0.500	8.000	12.000	T351	Plate	SB-2024-0500-08-12
0.500	12.000	12.000	T351	Plate	SB-2024-0500-12-12
0.500	12.000	18.000	T351	Plate	SB-2024-0500-12-18
0.500	12.000	24.000	T351	Plate	SB-2024-0500-12-24
0.500	24.000	24.000	T351	Plate	SB-2024-0500-24-24
0.625	2.000	12.000	T351	Plate	SB-2024-0625-02-12
0.625	4.000	12.000	T351	Plate	SB-2024-0625-04-12
0.625	6.000	6.000	T351	Plate	SB-2024-0625-06-06
0.625	6.000	12.000	T351	Plate	SB-2024-0625-06-12
0.625	8.000	8.000	T351	Plate	SB-2024-0625-08-08
0.625	8.000	12.000	T351	Plate	SB-2024-0625-08-12
0.625	12.000	12.000	T351	Plate	SB-2024-0625-12-12
0.625	12.000	18.000	T351	Plate	SB-2024-0625-12-18
0.625	12.000	24.000	T351	Plate	SB-2024-0625-12-24
0.625	24.000	24.000	T351	Plate	SB-2024-0625-24-24
0.750	2.000	12.000	T351	Plate	SB-2024-0750-02-12
0.750	4.000	12.000	T351	Plate	SB-2024-0750-04-12
0.750	6.000	6.000	T351	Plate	SB-2024-0750-06-06
0.750	6.000	12.000	T351	Plate	SB-2024-0750-06-12

2024 Aluminum Plate and Sheet

6-Side Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
0.750	8.000	8.000	T351	Plate	SB-2024-0750-08-08
0.750	8.000	12.000	T351	Plate	SB-2024-0750-08-12
0.750	12.000	12.000	T351	Plate	SB-2024-0750-12-12
0.750	12.000	18.000	T351	Plate	SB-2024-0750-12-18
0.750	12.000	24.000	T351	Plate	SB-2024-0750-12-24
0.750	24.000	24.000	T351	Plate	SB-2024-0750-24-24
1.000	2.000	3.000	T351	Plate	SB-2024-1000-02-03
1.000	2.000	12.000	T351	Plate	SB-2024-1000-02-12
1.000	4.000	12.000	T351	Plate	SB-2024-1000-04-12
1.000	6.000	6.000	T351	Plate	SB-2024-1000-06-06
1.000	6.000	12.000	T351	Plate	SB-2024-1000-06-12
1.000	8.000	8.000	T351	Plate	SB-2024-1000-08-08
1.000	8.000	12.000	T351	Plate	SB-2024-1000-08-12
1.000	12.000	12.000	T351	Plate	SB-2024-1000-12-12
1.000	12.000	18.000	T351	Plate	SB-2024-1000-12-18
1.000	12.000	24.000	T351	Plate	SB-2024-1000-12-24
1.000	24.000	24.000	T351	Plate	SB-2024-1000-24-24
1.500	3.000	6.000	T351	Plate	SB-2024-1500-03-06
2.000	2.000	2.000	T351	Plate	SB-2024-2000-02-02
2.000	4.000	6.000	T351	Plate	SB-2024-2000-04-06
3.000	3.000	3.000	T351	Plate	SB-2024-3000-03-03
3.000	3.000	5.000	T351	Plate	SB-2024-3000-03-05
3.000	6.000	12.000	T351	Plate	SB-2024-3000-06-12

5052 Aluminum Plate and Sheet

Excellent Strength-to-Weight Ratio

5052 aluminum alloy is stronger than other popular aluminum alloys and has improved corrosion resistance due to the absence of copper in its composition. This means it does not readily corrode in a saltwater environment that can attack and weaken copper metal composites, making it ideal for many marine and chemical applications, where other aluminum would weaken with time. 5052 aluminum cannot be heat treated and must be cold worked to be made stronger using the work-hardening process.



Aluminum Strip Blanks

- Stock material saw cut to $+.063-0''$

Thickness	Width	Length	Temper	Type	Part #
0.125	1	6	H32	Sheet	SB-5052-0125-01-06
0.125	1	12	H32	Sheet	SB-5052-0125-01-12
0.125	1	24	H32	Sheet	SB-5052-0125-01-24
0.125	1	36	H32	Sheet	SB-5052-0125-01-36
0.125	1	72	H32	Sheet	SB-5052-0125-01-72
0.125	2	6	H32	Sheet	SB-5052-0125-02-06
0.125	2	12	H32	Sheet	SB-5052-0125-02-12
0.125	2	24	H32	Sheet	SB-5052-0125-02-24
0.125	2	36	H32	Sheet	SB-5052-0125-02-36
0.125	2	72	H32	Sheet	SB-5052-0125-02-72
0.125	3	6	H32	Sheet	SB-5052-0125-03-06
0.125	3	12	H32	Sheet	SB-5052-0125-03-12
0.125	3	24	H32	Sheet	SB-5052-0125-03-24
0.125	3	36	H32	Sheet	SB-5052-0125-03-36
0.125	3	72	H32	Sheet	SB-5052-0125-03-72
0.125	4	6	H32	Sheet	SB-5052-0125-04-06
0.125	4	12	H32	Sheet	SB-5052-0125-04-12
0.125	4	24	H32	Sheet	SB-5052-0125-04-24
0.125	4	36	H32	Sheet	SB-5052-0125-04-36
0.125	4	72	H32	Sheet	SB-5052-0125-04-72
0.125	1.25	6	H32	Sheet	SB-5052-0125-13-06
0.125	1.25	12	H32	Sheet	SB-5052-0125-13-12

All measurements are in inches unless otherwise specified

5052 Aluminum Plate and Sheet

Aluminum Strip Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
0.125	1.25	24	H32	Sheet	SB-5052-0125-13-24
0.125	1.25	36	H32	Sheet	SB-5052-0125-13-36
0.125	1.25	72	H32	Sheet	SB-5052-0125-13-72
0.125	1.5	6	H32	Sheet	SB-5052-0125-15-06
0.125	1.5	12	H32	Sheet	SB-5052-0125-15-12
0.125	1.5	24	H32	Sheet	SB-5052-0125-15-24
0.125	1.5	36	H32	Sheet	SB-5052-0125-15-36
0.125	1.5	72	H32	Sheet	SB-5052-0125-15-72
0.125	2.5	6	H32	Sheet	SB-5052-0125-25-06
0.125	2.5	12	H32	Sheet	SB-5052-0125-25-12
0.125	2.5	24	H32	Sheet	SB-5052-0125-25-24
0.125	2.5	36	H32	Sheet	SB-5052-0125-25-36
0.125	2.5	72	H32	Sheet	SB-5052-0125-25-72
0.125	0.5	6	H32	Sheet	SB-5052-0125-50-06
0.125	0.5	12	H32	Sheet	SB-5052-0125-50-12
0.125	0.5	24	H32	Sheet	SB-5052-0125-50-24
0.125	0.5	36	H32	Sheet	SB-5052-0125-50-36
0.125	0.5	72	H32	Sheet	SB-5052-0125-50-72
0.125	0.75	6	H32	Sheet	SB-5052-0125-75-06
0.125	0.75	12	H32	Sheet	SB-5052-0125-75-12
0.125	0.75	24	H32	Sheet	SB-5052-0125-75-24
0.125	0.75	36	H32	Sheet	SB-5052-0125-75-36
0.125	0.75	72	H32	Sheet	SB-5052-0125-75-72
0.190	1	6	H32	Sheet	SB-5052-0190-01-06
0.190	1	12	H32	Sheet	SB-5052-0190-01-12
0.190	1	24	H32	Sheet	SB-5052-0190-01-24
0.190	1	36	H32	Sheet	SB-5052-0190-01-36
0.190	1	72	H32	Sheet	SB-5052-0190-01-72
0.190	2	6	H32	Sheet	SB-5052-0190-02-06
0.190	2	12	H32	Sheet	SB-5052-0190-02-12
0.190	2	24	H32	Sheet	SB-5052-0190-02-24
0.190	2	36	H32	Sheet	SB-5052-0190-02-36
0.190	2	72	H32	Sheet	SB-5052-0190-02-72

5052 Aluminum Plate and Sheet

Aluminum Strip Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
0.190	3	6	H32	Sheet	SB-5052-0190-03-06
0.190	3	12	H32	Sheet	SB-5052-0190-03-12
0.190	3	24	H32	Sheet	SB-5052-0190-03-24
0.190	3	36	H32	Sheet	SB-5052-0190-03-36
0.190	3	72	H32	Sheet	SB-5052-0190-03-72
0.190	4	6	H32	Sheet	SB-5052-0190-04-06
0.190	4	12	H32	Sheet	SB-5052-0190-04-12
0.190	4	24	H32	Sheet	SB-5052-0190-04-24
0.190	4	36	H32	Sheet	SB-5052-0190-04-36
0.190	4	72	H32	Sheet	SB-5052-0190-04-72
0.190	1.5	6	H32	Sheet	SB-5052-0190-15-06
0.190	1.5	12	H32	Sheet	SB-5052-0190-15-12
0.190	1.5	24	H32	Sheet	SB-5052-0190-15-24
0.190	1.5	36	H32	Sheet	SB-5052-0190-15-36
0.190	1.5	72	H32	Sheet	SB-5052-0190-15-72
0.190	2.5	6	H32	Sheet	SB-5052-0190-25-06
0.190	2.5	12	H32	Sheet	SB-5052-0190-25-12
0.190	2.5	24	H32	Sheet	SB-5052-0190-25-24
0.190	2.5	36	H32	Sheet	SB-5052-0190-25-36
0.190	2.5	72	H32	Sheet	SB-5052-0190-25-72
0.250	1	6	H32	Plate	SB-5052-0250-01-06
0.250	1	12	H32	Plate	SB-5052-0250-01-12
0.250	1	24	H32	Plate	SB-5052-0250-01-24
0.250	1	36	H32	Plate	SB-5052-0250-01-36
0.250	1	72	H32	Plate	SB-5052-0250-01-72
0.250	2	6	H32	Plate	SB-5052-0250-02-06
0.250	2	12	H32	Plate	SB-5052-0250-02-12
0.250	2	24	H32	Plate	SB-5052-0250-02-24
0.250	2	36	H32	Plate	SB-5052-0250-02-36
0.250	2	72	H32	Plate	SB-5052-0250-02-72
0.250	3	6	H32	Plate	SB-5052-0250-03-06
0.250	3	12	H32	Plate	SB-5052-0250-03-12
0.250	3	24	H32	Plate	SB-5052-0250-03-24

5052 Aluminum Plate and Sheet

Aluminum Strip Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
0.250	3	36	H32	Plate	SB-5052-0250-03-36
0.250	3	72	H32	Plate	SB-5052-0250-03-72
0.250	4	6	H32	Plate	SB-5052-0250-04-06
0.250	4	12	H32	Plate	SB-5052-0250-04-12
0.250	4	24	H32	Plate	SB-5052-0250-04-24
0.250	4	36	H32	Plate	SB-5052-0250-04-36
0.250	4	72	H32	Plate	SB-5052-0250-04-72
0.250	1.25	6	H32	Plate	SB-5052-0250-13-06
0.250	1.25	12	H32	Plate	SB-5052-0250-13-12
0.250	1.25	24	H32	Plate	SB-5052-0250-13-24
0.250	1.25	36	H32	Plate	SB-5052-0250-13-36
0.250	1.25	72	H32	Plate	SB-5052-0250-13-72
0.250	1.5	6	H32	Plate	SB-5052-0250-15-06
0.250	1.5	12	H32	Plate	SB-5052-0250-15-12
0.250	1.5	24	H32	Plate	SB-5052-0250-15-24
0.250	1.5	36	H32	Plate	SB-5052-0250-15-36
0.250	1.5	72	H32	Plate	SB-5052-0250-15-72
0.250	2.5	6	H32	Plate	SB-5052-0250-25-06
0.250	2.5	12	H32	Plate	SB-5052-0250-25-12
0.250	2.5	24	H32	Plate	SB-5052-0250-25-24
0.250	2.5	36	H32	Plate	SB-5052-0250-25-36
0.250	2.5	72	H32	Plate	SB-5052-0250-25-72
0.250	0.5	6	H32	Plate	SB-5052-0250-50-06
0.250	0.5	12	H32	Plate	SB-5052-0250-50-12
0.250	0.5	24	H32	Plate	SB-5052-0250-50-24
0.250	0.5	36	H32	Plate	SB-5052-0250-50-36
0.250	0.5	72	H32	Plate	SB-5052-0250-50-72
0.250	0.75	6	H32	Plate	SB-5052-0250-75-06
0.250	0.75	12	H32	Plate	SB-5052-0250-75-12
0.250	0.75	24	H32	Plate	SB-5052-0250-75-24
0.250	0.75	36	H32	Plate	SB-5052-0250-75-36
0.250	0.75	72	H32	Plate	SB-5052-0250-75-72

3003 Aluminum Plate and Sheet

The Most Popular General-Use Aluminum Alloy

3003 aluminum alloy is one of the most widely distributed types of aluminum on the market today and for good reason. It takes a good finish, has excellent formability, welds well, has moderate strength, and resists corrosion. These attributes allow this metal to succeed in a variety of applications and is why it is considered the most popular general-use aluminum alloy. While it does not respond to the heat treatment process, this alloy can be strain-hardened to increase its strength. And while not especially strong, 3003 aluminum has many applications in the food and chemical markets and is useful as a highly malleable material.



Aluminum Strip Blanks

- Stock material saw cut to $+.060-0''$

Thickness	Width	Length	Temper	Type	Part #
0.125	1	12	H14	Sheet	SB-3003-0125-01-12
0.125	1	36	H14	Sheet	SB-3003-0125-01-36
0.125	1	72	H14	Sheet	SB-3003-0125-01-72
0.125	2	12	H14	Sheet	SB-3003-0125-02-12
0.125	2	36	H14	Sheet	SB-3003-0125-02-36
0.125	2	72	H14	Sheet	SB-3003-0125-02-72
0.125	3	12	H14	Sheet	SB-3003-0125-03-12
0.125	3	36	H14	Sheet	SB-3003-0125-03-36
0.125	3	72	H14	Sheet	SB-3003-0125-03-72
0.125	4	12	H14	Sheet	SB-3003-0125-04-12
0.125	4	36	H14	Sheet	SB-3003-0125-04-36
0.125	4	72	H14	Sheet	SB-3003-0125-04-72
0.125	1.5	12	H14	Sheet	SB-3003-0125-15-12
0.125	1.5	36	H14	Sheet	SB-3003-0125-15-36

All measurements are in inches unless otherwise specified

3003 Aluminum Plate and Sheet

Aluminum Strip Blanks *(Continued)*

Thickness	Width	Length	Temper	Type	Part #
0.125	1.5	72	H14	Sheet	SB-3003-0125-15-72
0.125	2.5	12	H14	Sheet	SB-3003-0125-25-12
0.125	2.5	36	H14	Sheet	SB-3003-0125-25-36
0.125	2.5	72	H14	Sheet	SB-3003-0125-25-72
0.190	1	12	H14	Sheet	SB-3003-0190-01-12
0.190	1	36	H14	Sheet	SB-3003-0190-01-36
0.190	1	72	H14	Sheet	SB-3003-0190-01-72
0.190	2	12	H14	Sheet	SB-3003-0190-02-12
0.190	2	36	H14	Sheet	SB-3003-0190-02-36
0.190	2	72	H14	Sheet	SB-3003-0190-02-72
0.190	3	12	H14	Sheet	SB-3003-0190-03-12
0.190	3	36	H14	Sheet	SB-3003-0190-03-36
0.190	3	72	H14	Sheet	SB-3003-0190-03-72
0.190	4	12	H14	Sheet	SB-3003-0190-04-12
0.190	4	36	H14	Sheet	SB-3003-0190-04-36
0.190	4	72	H14	Sheet	SB-3003-0190-04-72
0.190	1.5	12	H14	Sheet	SB-3003-0190-15-12
0.190	1.5	36	H14	Sheet	SB-3003-0190-15-36
0.190	1.5	72	H14	Sheet	SB-3003-0190-15-72
0.190	2.5	12	H14	Sheet	SB-3003-0190-25-12
0.190	2.5	36	H14	Sheet	SB-3003-0190-25-36
0.190	2.5	72	H14	Sheet	SB-3003-0190-25-72

304 Stainless Steel Plate and Sheet

Easy to Clean, Good Surface Finish

304 stainless steel plate is affordable, corrosion and oxidation resistant, and it is easy to fabricate, offering good formability and weldability. 304 stainless steel is easy to clean and is aesthetically pleasing. It is commonly used for a variety of household and industrial applications such as food handling and processing equipment, screws, machinery parts, and car headers, as well as architectural exterior accents such as water and fire features. For severe corrosion conditions, when 304 stainless steel is too sensitive to pitting or crevice corrosion by chlorides or general corrosion in acidic applications, it is commonly replaced by 316 stainless steel.



2-Side Precision Blanks

- Precision ground or milled 2-sides for thickness and flatness to ± 0.002 ", flat and parallel ready for machining
- Width and length saw cut or waterjet cut, ± 0.1250 "

Thickness	Width	Length	Type	Part #
0.125	2	2	Sheet	GB-0304-0125-02-02
0.125	2	6	Sheet	GB-0304-0125-02-06
0.125	2	12	Sheet	GB-0304-0125-02-12
0.125	3	3	Sheet	GB-0304-0125-03-03
0.125	3	6	Sheet	GB-0304-0125-03-06
0.125	3	12	Sheet	GB-0304-0125-03-12
0.125	4	4	Sheet	GB-0304-0125-04-04
0.125	4	8	Sheet	GB-0304-0125-04-08
0.125	4	12	Sheet	GB-0304-0125-04-12
0.125	6	6	Sheet	GB-0304-0125-06-06
0.125	6	12	Sheet	GB-0304-0125-06-12
0.125	8	8	Sheet	GB-0304-0125-08-08
0.125	8	12	Sheet	GB-0304-0125-08-12
0.125	9	9	Sheet	GB-0304-0125-09-09
0.125	10	10	Sheet	GB-0304-0125-10-10
0.125	12	12	Sheet	GB-0304-0125-12-12
0.125	12	18	Sheet	GB-0304-0125-12-18
0.125	12	24	Sheet	GB-0304-0125-12-24
0.125	18	18	Sheet	GB-0304-0125-18-18
0.125	24	24	Sheet	GB-0304-0125-24-24

All measurements are in inches unless otherwise specified

304 Stainless Steel Plate and Sheet

2-Side Blanks *(Continued)*

Thickness	Width	Length	Type	Part #
0.250	2	2	Plate	GB-0304-0250-02-02
0.250	2	6	Plate	GB-0304-0250-02-06
0.250	2	12	Plate	GB-0304-0250-02-12
0.250	3	3	Plate	GB-0304-0250-03-03
0.250	3	6	Plate	GB-0304-0250-03-06
0.250	3	12	Plate	GB-0304-0250-03-12
0.250	4	4	Plate	GB-0304-0250-04-04
0.250	4	8	Plate	GB-0304-0250-04-08
0.250	4	12	Plate	GB-0304-0250-04-12
0.250	6	6	Plate	GB-0304-0250-06-06
0.250	6	12	Plate	GB-0304-0250-06-12
0.250	8	8	Plate	GB-0304-0250-08-08
0.250	8	12	Plate	GB-0304-0250-08-12
0.250	9	9	Plate	GB-0304-0250-09-09
0.250	10	10	Plate	GB-0304-0250-10-10
0.250	12	12	Plate	GB-0304-0250-12-12
0.250	12	18	Plate	GB-0304-0250-12-18
0.250	12	24	Plate	GB-0304-0250-12-24
0.250	18	18	Plate	GB-0304-0250-18-18
0.250	24	24	Plate	GB-0304-0250-24-24
0.375	2	2	Plate	GB-0304-0375-02-02
0.375	2	6	Plate	GB-0304-0375-02-06
0.375	2	12	Plate	GB-0304-0375-02-12
0.375	3	3	Plate	GB-0304-0375-03-03
0.375	3	6	Plate	GB-0304-0375-03-06
0.375	3	12	Plate	GB-0304-0375-03-12
0.375	4	4	Plate	GB-0304-0375-04-04
0.375	4	8	Plate	GB-0304-0375-04-08
0.375	4	12	Plate	GB-0304-0375-04-12
0.375	6	6	Plate	GB-0304-0375-06-06
0.375	6	12	Plate	GB-0304-0375-06-12
0.375	8	8	Plate	GB-0304-0375-08-08

304 Stainless Steel Plate and Sheet

2-Side Blanks *(Continued)*

Thickness	Width	Length	Type	Part #
0.375	8	12	Plate	GB-0304-0375-08-12
0.375	9	9	Plate	GB-0304-0375-09-09
0.375	10	10	Plate	GB-0304-0375-10-10
0.375	12	12	Plate	GB-0304-0375-12-12
0.375	12	18	Plate	GB-0304-0375-12-18
0.375	24	24	Plate	GB-0304-0375-24-24
0.500	2	2	Plate	GB-0304-0500-02-02
0.500	2	6	Plate	GB-0304-0500-02-06
0.500	2	12	Plate	GB-0304-0500-02-12
0.500	3	3	Plate	GB-0304-0500-03-03
0.500	3	6	Plate	GB-0304-0500-03-06
0.500	3	12	Plate	GB-0304-0500-03-12
0.500	4	4	Plate	GB-0304-0500-04-04
0.500	4	8	Plate	GB-0304-0500-04-08
0.500	4	12	Plate	GB-0304-0500-04-12
0.500	6	6	Plate	GB-0304-0500-06-06
0.500	6	12	Plate	GB-0304-0500-06-12
0.500	8	8	Plate	GB-0304-0500-08-08
0.500	8	12	Plate	GB-0304-0500-08-12
0.500	9	9	Plate	GB-0304-0500-09-09
0.500	10	10	Plate	GB-0304-0500-10-10
0.500	12	12	Plate	GB-0304-0500-12-12
0.500	12	18	Plate	GB-0304-0500-12-18
0.500	12	24	Plate	GB-0304-0500-12-24
0.500	18	18	Plate	GB-0304-0500-18-18
0.500	24	24	Plate	GB-0304-0500-24-24
0.750	2	2	Plate	GB-0304-0750-02-02
0.750	2	6	Plate	GB-0304-0750-02-06
0.750	2	12	Plate	GB-0304-0750-02-12
0.750	3	3	Plate	GB-0304-0750-03-03
0.750	3	6	Plate	GB-0304-0750-03-06
0.750	3	12	Plate	GB-0304-0750-03-12

304 Stainless Steel Plate and Sheet

2-Side Blanks *(Continued)*

Thickness	Width	Length	Type	Part #
0.750	4	4	Plate	GB-0304-0750-04-04
0.750	4	8	Plate	GB-0304-0750-04-08
0.750	4	12	Plate	GB-0304-0750-04-12
0.750	6	6	Plate	GB-0304-0750-06-06
0.750	6	12	Plate	GB-0304-0750-06-12
0.750	8	8	Plate	GB-0304-0750-08-08
0.750	8	12	Plate	GB-0304-0750-08-12
0.750	9	9	Plate	GB-0304-0750-09-09
0.750	10	10	Plate	GB-0304-0750-10-10
0.750	12	12	Plate	GB-0304-0750-12-12
0.750	12	18	Plate	GB-0304-0750-12-18
0.750	24	24	Plate	GB-0304-0750-24-24
1.000	2	2	Plate	GB-0304-1000-02-02
1.000	2	6	Plate	GB-0304-1000-02-06
1.000	2	12	Plate	GB-0304-1000-02-12
1.000	3	3	Plate	GB-0304-1000-03-03
1.000	3	6	Plate	GB-0304-1000-03-06
1.000	3	12	Plate	GB-0304-1000-03-12
1.000	4	4	Plate	GB-0304-1000-04-04
1.000	4	8	Plate	GB-0304-1000-04-08
1.000	4	12	Plate	GB-0304-1000-04-12
1.000	6	6	Plate	GB-0304-1000-06-06
1.000	6	12	Plate	GB-0304-1000-06-12
1.000	8	8	Plate	GB-0304-1000-08-08
1.000	8	12	Plate	GB-0304-1000-08-12
1.000	9	9	Plate	GB-0304-1000-09-09
1.000	10	10	Plate	GB-0304-1000-10-10
1.000	12	12	Plate	GB-0304-1000-12-12
1.000	12	18	Plate	GB-0304-1000-12-18
1.000	24	24	Plate	GB-0304-1000-24-24
4.000	4	4	Plate	GB-0304-4000-04-04

304 Stainless Steel Plate and Sheet

6-Side Precision Blanks

- Precision ground or milled 2-sides for thickness and flatness
- Precision milled 4-sides for width and length
- All dimensions +/- .002", flat square and parallel ready for machining



Thickness	Width	Length	Type	Part #
0.125	2.000	2.000	Sheet	SB-0304-0125-02-02
0.125	2.000	6.000	Sheet	SB-0304-0125-02-06
0.125	2.000	12.000	Sheet	SB-0304-0125-02-12
0.125	3.000	3.000	Sheet	SB-0304-0125-03-03
0.125	3.000	6.000	Sheet	SB-0304-0125-03-06
0.125	3.000	12.000	Sheet	SB-0304-0125-03-12
0.125	4.000	4.000	Sheet	SB-0304-0125-04-04
0.125	4.000	8.000	Sheet	SB-0304-0125-04-08
0.125	4.000	12.000	Sheet	SB-0304-0125-04-12
0.125	6.000	6.000	Sheet	SB-0304-0125-06-06
0.125	6.000	12.000	Sheet	SB-0304-0125-06-12
0.125	8.000	8.000	Sheet	SB-0304-0125-08-08
0.125	8.000	12.000	Sheet	SB-0304-0125-08-12
0.125	9.000	9.000	Sheet	SB-0304-0125-09-09
0.125	10.000	10.000	Sheet	SB-0304-0125-10-10
0.125	12.000	12.000	Sheet	SB-0304-0125-12-12
0.125	12.000	18.000	Sheet	SB-0304-0125-12-18
0.125	12.000	24.000	Sheet	SB-0304-0125-12-24
0.125	18.000	18.000	Sheet	SB-0304-0125-18-18
0.125	24.000	24.000	Sheet	SB-0304-0125-24-24
0.190	2.000	2.000	Plate	SB-0304-0190-02-02
0.190	2.000	6.000	Plate	SB-0304-0190-02-06
0.190	2.000	12.000	Plate	SB-0304-0190-02-12
0.190	3.000	3.000	Plate	SB-0304-0190-03-03

All measurements are in inches unless otherwise specified

304 Stainless Steel Plate and Sheet

6-Side Blanks *(Continued)*

Thickness	Width	Length	Type	Part #
0.190	3.000	6.000	Plate	SB-0304-0190-03-06
0.190	3.000	12.000	Plate	SB-0304-0190-03-12
0.190	4.000	4.000	Plate	SB-0304-0190-04-04
0.190	4.000	8.000	Plate	SB-0304-0190-04-08
0.190	4.000	12.000	Plate	SB-0304-0190-04-12
0.190	6.000	6.000	Plate	SB-0304-0190-06-06
0.190	6.000	12.000	Plate	SB-0304-0190-06-12
0.190	8.000	8.000	Plate	SB-0304-0190-08-08
0.190	8.000	12.000	Plate	SB-0304-0190-08-12
0.190	9.000	9.000	Plate	SB-0304-0190-09-09
0.190	10.000	10.000	Plate	SB-0304-0190-10-10
0.190	12.000	12.000	Plate	SB-0304-0190-12-12
0.190	12.000	18.000	Plate	SB-0304-0190-12-18
0.190	12.000	24.000	Plate	SB-0304-0190-12-24
0.190	18.000	18.000	Plate	SB-0304-0190-18-18
0.190	24.000	24.000	Plate	SB-0304-0190-24-24
0.250	2.000	2.000	Plate	SB-0304-0250-02-02
0.250	2.000	6.000	Plate	SB-0304-0250-02-06
0.250	2.000	12.000	Plate	SB-0304-0250-02-12
0.250	3.000	3.000	Plate	SB-0304-0250-03-03
0.250	3.000	6.000	Plate	SB-0304-0250-03-06
0.250	3.000	12.000	Plate	SB-0304-0250-03-12
0.250	4.000	4.000	Plate	SB-0304-0250-04-04
0.250	4.000	8.000	Plate	SB-0304-0250-04-08
0.250	4.000	12.000	Plate	SB-0304-0250-04-12
0.250	6.000	6.000	Plate	SB-0304-0250-06-06
0.250	6.000	12.000	Plate	SB-0304-0250-06-12
0.250	8.000	8.000	Plate	SB-0304-0250-08-08
0.250	8.000	12.000	Plate	SB-0304-0250-08-12

304 Stainless Steel Plate and Sheet

6-Side Blanks *(Continued)*

Thickness	Width	Length	Type	Part #
0.250	9.000	9.000	Plate	SB-0304-0250-09-09
0.250	10.000	10.000	Plate	SB-0304-0250-10-10
0.250	12.000	12.000	Plate	SB-0304-0250-12-12
0.250	12.000	18.000	Plate	SB-0304-0250-12-18
0.250	12.000	24.000	Plate	SB-0304-0250-12-24
0.250	18.000	18.000	Plate	SB-0304-0250-18-18
0.250	24.000	24.000	Plate	SB-0304-0250-24-24
0.375	2.000	2.000	Plate	SB-0304-0375-02-02
0.375	2.000	6.000	Plate	SB-0304-0375-02-06
0.375	2.000	12.000	Plate	SB-0304-0375-02-12
0.375	3.000	3.000	Plate	SB-0304-0375-03-03
0.375	3.000	6.000	Plate	SB-0304-0375-03-06
0.375	3.000	12.000	Plate	SB-0304-0375-03-12
0.375	4.000	4.000	Plate	SB-0304-0375-04-04
0.375	4.000	8.000	Plate	SB-0304-0375-04-08
0.375	4.000	12.000	Plate	SB-0304-0375-04-12
0.375	6.000	6.000	Plate	SB-0304-0375-06-06
0.375	6.000	12.000	Plate	SB-0304-0375-06-12
0.375	8.000	8.000	Plate	SB-0304-0375-08-08
0.375	8.000	12.000	Plate	SB-0304-0375-08-12
0.375	9.000	9.000	Plate	SB-0304-0375-09-09
0.375	10.000	10.000	Plate	SB-0304-0375-10-10
0.375	12.000	12.000	Plate	SB-0304-0375-12-12
0.375	12.000	18.000	Plate	SB-0304-0375-12-18
0.375	12.000	24.000	Plate	SB-0304-0375-12-24
0.375	18.000	18.000	Plate	SB-0304-0375-18-18
0.375	24.000	24.000	Plate	SB-0304-0375-24-24
0.500	2.000	2.000	Plate	SB-0304-0500-02-02
0.500	2.000	6.000	Plate	SB-0304-0500-02-06

304 Stainless Steel Plate and Sheet

6-Side Blanks *(Continued)*

Thickness	Width	Length	Type	Part #
0.500	2.000	12.000	Plate	SB-0304-0500-02-12
0.500	3.000	3.000	Plate	SB-0304-0500-03-03
0.500	3.000	6.000	Plate	SB-0304-0500-03-06
0.500	3.000	12.000	Plate	SB-0304-0500-03-12
0.500	4.000	4.000	Plate	SB-0304-0500-04-04
0.500	4.000	8.000	Plate	SB-0304-0500-04-08
0.500	4.000	12.000	Plate	SB-0304-0500-04-12
0.500	6.000	6.000	Plate	SB-0304-0500-06-06
0.500	6.000	12.000	Plate	SB-0304-0500-06-12
0.500	8.000	8.000	Plate	SB-0304-0500-08-08
0.500	8.000	12.000	Plate	SB-0304-0500-08-12
0.500	9.000	9.000	Plate	SB-0304-0500-09-09
0.500	10.000	10.000	Plate	SB-0304-0500-10-10
0.500	12.000	12.000	Plate	SB-0304-0500-12-12
0.500	12.000	18.000	Plate	SB-0304-0500-12-18
0.500	12.000	24.000	Plate	SB-0304-0500-12-24
0.500	18.000	18.000	Plate	SB-0304-0500-18-18
0.500	24.000	24.000	Plate	SB-0304-0500-24-24
0.625	2.000	2.000	Plate	SB-0304-0625-02-02
0.625	2.000	6.000	Plate	SB-0304-0625-02-06
0.625	2.000	12.000	Plate	SB-0304-0625-02-12
0.625	3.000	3.000	Plate	SB-0304-0625-03-03
0.625	3.000	6.000	Plate	SB-0304-0625-03-06
0.625	3.000	12.000	Plate	SB-0304-0625-03-12
0.625	4.000	4.000	Plate	SB-0304-0625-04-04
0.625	4.000	8.000	Plate	SB-0304-0625-04-08
0.625	4.000	12.000	Plate	SB-0304-0625-04-12
0.625	6.000	6.000	Plate	SB-0304-0625-06-06
0.625	6.000	12.000	Plate	SB-0304-0625-06-12

304 Stainless Steel Plate and Sheet

6-Side Blanks *(Continued)*

Thickness	Width	Length	Type	Part #
0.625	8.000	8.000	Plate	SB-0304-0625-08-08
0.625	8.000	12.000	Plate	SB-0304-0625-08-12
0.625	9.000	9.000	Plate	SB-0304-0625-09-09
0.625	10.000	10.000	Plate	SB-0304-0625-10-10
0.625	12.000	12.000	Plate	SB-0304-0625-12-12
0.625	12.000	18.000	Plate	SB-0304-0625-12-18
0.625	12.000	24.000	Plate	SB-0304-0625-12-24
0.625	18.000	18.000	Plate	SB-0304-0625-18-18
0.625	24.000	24.000	Plate	SB-0304-0625-24-24
0.750	2.000	2.000	Plate	SB-0304-0750-02-02
0.750	2.000	6.000	Plate	SB-0304-0750-02-06
0.750	2.000	12.000	Plate	SB-0304-0750-02-12
0.750	3.000	3.000	Plate	SB-0304-0750-03-03
0.750	3.000	6.000	Plate	SB-0304-0750-03-06
0.750	3.000	12.000	Plate	SB-0304-0750-03-12
0.750	4.000	4.000	Plate	SB-0304-0750-04-04
0.750	4.000	8.000	Plate	SB-0304-0750-04-08
0.750	4.000	12.000	Plate	SB-0304-0750-04-12
0.750	6.000	6.000	Plate	SB-0304-0750-06-06
0.750	6.000	12.000	Plate	SB-0304-0750-06-12
0.750	8.000	8.000	Plate	SB-0304-0750-08-08
0.750	8.000	12.000	Plate	SB-0304-0750-08-12
0.750	9.000	9.000	Plate	SB-0304-0750-09-09
0.750	10.000	10.000	Plate	SB-0304-0750-10-10
0.750	12.000	12.000	Plate	SB-0304-0750-12-12
0.750	12.000	18.000	Plate	SB-0304-0750-12-18
0.750	12.000	24.000	Plate	SB-0304-0750-12-24
0.750	18.000	18.000	Plate	SB-0304-0750-18-18
0.750	24.000	24.000	Plate	SB-0304-0750-24-24

304 Stainless Steel Plate and Sheet

6-Side Blanks *(Continued)*

Thickness	Width	Length	Type	Part #
1.000	2.000	2.000	Plate	SB-0304-1000-02-02
1.000	2.000	6.000	Plate	SB-0304-1000-02-06
1.000	2.000	12.000	Plate	SB-0304-1000-02-12
1.000	2.000	24.000	Plate	SB-0304-1000-02-24
1.000	3.000	3.000	Plate	SB-0304-1000-03-03
1.000	3.000	6.000	Plate	SB-0304-1000-03-06
1.000	3.000	12.000	Plate	SB-0304-1000-03-12
1.000	4.000	4.000	Plate	SB-0304-1000-04-04
1.000	4.000	8.000	Plate	SB-0304-1000-04-08
1.000	4.000	12.000	Plate	SB-0304-1000-04-12
1.000	6.000	6.000	Plate	SB-0304-1000-06-06
1.000	6.000	12.000	Plate	SB-0304-1000-06-12
1.000	8.000	8.000	Plate	SB-0304-1000-08-08
1.000	8.000	12.000	Plate	SB-0304-1000-08-12
1.000	9.000	9.000	Plate	SB-0304-1000-09-09
1.000	10.000	10.000	Plate	SB-0304-1000-10-10
1.000	12.000	12.000	Plate	SB-0304-1000-12-12
1.000	12.000	18.000	Plate	SB-0304-1000-12-18
1.000	12.000	24.000	Plate	SB-0304-1000-12-24
1.000	18.000	18.000	Plate	SB-0304-1000-18-18
1.000	24.000	24.000	Plate	SB-0304-1000-24-24
2.000	4.000	6.000	Plate	SB-0304-2000-04-06
2.000	4.000	8.000	Plate	SB-0304-2000-04-08
3.000	3.000	3.000	Plate	SB-0304-3000-03-03
3.000	6.000	9.000	Plate	SB-0304-3000-06-09
3.000	6.000	12.000	Plate	SB-0304-3000-06-12
4.000	4.000	4.000	Plate	SB-0304-4000-04-04
5.000	5.000	5.000	Plate	SB-0304-5000-05-05

316 Stainless Steel Plate and Sheet Superior Corrosion Resistant

316 stainless steel plate is excellent for harsh environment applications, including marine, chemical, and industrial. 316 stainless provides excellent high temperature tensile, creep and stress-rupture strength, as well as outstanding formability and weldability. This material type has lower carbon content than other alloys, making it popular for heavy-gauge welded applications.



2-Side Precision Blanks

- Precision ground or milled 2-sides for thickness and flatness to +/- .002", flat square and parallel ready for machining
- Width and length saw cut or waterjet cut, +.125-0"

Thickness	Width	Length	Type	Part #
0.125	2	2	Sheet	GB-0316-0125-02-02
0.125	2	6	Sheet	GB-0316-0125-02-06
0.125	2	12	Sheet	GB-0316-0125-02-12
0.125	3	3	Sheet	GB-0316-0125-03-03
0.125	3	6	Sheet	GB-0316-0125-03-06
0.125	3	12	Sheet	GB-0316-0125-03-12
0.125	4	4	Sheet	GB-0316-0125-04-04
0.125	4	8	Sheet	GB-0316-0125-04-08
0.125	4	12	Sheet	GB-0316-0125-04-12
0.125	6	6	Sheet	GB-0316-0125-06-06
0.125	6	12	Sheet	GB-0316-0125-06-12
0.125	8	8	Sheet	GB-0316-0125-08-08
0.125	8	12	Sheet	GB-0316-0125-08-12
0.125	9	9	Sheet	GB-0316-0125-09-09
0.125	10	10	Sheet	GB-0316-0125-10-10
0.125	12	12	Sheet	GB-0316-0125-12-12
0.125	12	18	Sheet	GB-0316-0125-12-18
0.125	12	24	Sheet	GB-0316-0125-12-24
0.125	18	18	Sheet	GB-0316-0125-18-18
0.125	24	24	Sheet	GB-0316-0125-24-24
0.250	2	2	Plate	GB-0316-0250-02-02

All measurements are in inches unless otherwise specified

316 Stainless Steel Plate and Sheet

2-Side Blanks *(Continued)*

Thickness	Width	Length	Type	Part #
0.250	2	6	Plate	GB-0316-0250-02-06
0.250	2	12	Plate	GB-0316-0250-02-12
0.250	3	3	Plate	GB-0316-0250-03-03
0.250	3	6	Plate	GB-0316-0250-03-06
0.250	3	12	Plate	GB-0316-0250-03-12
0.250	4	4	Plate	GB-0316-0250-04-04
0.250	4	8	Plate	GB-0316-0250-04-08
0.250	4	12	Plate	GB-0316-0250-04-12
0.250	6	6	Plate	GB-0316-0250-06-06
0.250	6	12	Plate	GB-0316-0250-06-12
0.250	8	8	Plate	GB-0316-0250-08-08
0.250	8	12	Plate	GB-0316-0250-08-12
0.250	9	9	Plate	GB-0316-0250-09-09
0.250	10	10	Plate	GB-0316-0250-10-10
0.250	12	12	Plate	GB-0316-0250-12-12
0.250	12	18	Plate	GB-0316-0250-12-18
0.250	12	24	Plate	GB-0316-0250-12-24
0.250	18	18	Plate	GB-0316-0250-18-18
0.250	24	24	Plate	GB-0316-0250-24-24
0.375	2	2	Plate	GB-0316-0375-02-02
0.375	2	6	Plate	GB-0316-0375-02-06
0.375	2	12	Plate	GB-0316-0375-02-12
0.375	3	3	Plate	GB-0316-0375-03-03
0.375	3	6	Plate	GB-0316-0375-03-06
0.375	3	12	Plate	GB-0316-0375-03-12
0.375	4	4	Plate	GB-0316-0375-04-04
0.375	4	8	Plate	GB-0316-0375-04-08
0.375	4	12	Plate	GB-0316-0375-04-12
0.375	6	6	Plate	GB-0316-0375-06-06
0.375	6	12	Plate	GB-0316-0375-06-12

316 Stainless Steel Plate and Sheet

2-Side Blanks *(Continued)*

Thickness	Width	Length	Type	Part #
0.375	8	8	Plate	GB-0316-0375-08-08
0.375	8	12	Plate	GB-0316-0375-08-12
0.375	9	9	Plate	GB-0316-0375-09-09
0.375	10	10	Plate	GB-0316-0375-10-10
0.375	12	12	Plate	GB-0316-0375-12-12
0.375	12	18	Plate	GB-0316-0375-12-18
0.375	12	24	Plate	GB-0316-0375-12-24
0.375	18	18	Plate	GB-0316-0375-18-18
0.375	24	24	Plate	GB-0316-0375-24-24
0.500	2	2	Plate	GB-0316-0500-02-02
0.500	2	6	Plate	GB-0316-0500-02-06
0.500	2	12	Plate	GB-0316-0500-02-12
0.500	3	3	Plate	GB-0316-0500-03-03
0.500	3	6	Plate	GB-0316-0500-03-06
0.500	3	12	Plate	GB-0316-0500-03-12
0.500	4	4	Plate	GB-0316-0500-04-04
0.500	4	8	Plate	GB-0316-0500-04-08
0.500	4	12	Plate	GB-0316-0500-04-12
0.500	6	6	Plate	GB-0316-0500-06-06
0.500	6	12	Plate	GB-0316-0500-06-12
0.500	8	8	Plate	GB-0316-0500-08-08
0.500	8	12	Plate	GB-0316-0500-08-12
0.500	9	9	Plate	GB-0316-0500-09-09
0.500	10	10	Plate	GB-0316-0500-10-10
0.500	12	12	Plate	GB-0316-0500-12-12
0.500	12	18	Plate	GB-0316-0500-12-18
0.500	12	24	Plate	GB-0316-0500-12-24
0.500	18	18	Plate	GB-0316-0500-18-18
0.500	24	24	Plate	GB-0316-0500-24-24
0.625	2	2	Plate	GB-0316-0625-02-02

316 Stainless Steel Plate and Sheet

2-Side Blanks *(Continued)*

Thickness	Width	Length	Type	Part #
0.625	2	6	Plate	GB-0316-0625-02-06
0.625	2	12	Plate	GB-0316-0625-02-12
0.625	3	3	Plate	GB-0316-0625-03-03
0.625	3	6	Plate	GB-0316-0625-03-06
0.625	3	12	Plate	GB-0316-0625-03-12
0.625	4	4	Plate	GB-0316-0625-04-04
0.625	4	8	Plate	GB-0316-0625-04-08
0.625	4	12	Plate	GB-0316-0625-04-12
0.625	6	6	Plate	GB-0316-0625-06-06
0.625	6	12	Plate	GB-0316-0625-06-12
0.625	8	8	Plate	GB-0316-0625-08-08
0.625	8	12	Plate	GB-0316-0625-08-12
0.625	9	9	Plate	GB-0316-0625-09-09
0.625	10	10	Plate	GB-0316-0625-10-10
0.625	12	12	Plate	GB-0316-0625-12-12
0.625	12	18	Plate	GB-0316-0625-12-18
0.625	12	24	Plate	GB-0316-0625-12-24
0.625	18	18	Plate	GB-0316-0625-18-18
0.625	24	24	Plate	GB-0316-0625-24-24
0.750	2	2	Plate	GB-0316-0750-02-02
0.750	2	6	Plate	GB-0316-0750-02-06
0.750	2	12	Plate	GB-0316-0750-02-12
0.750	3	3	Plate	GB-0316-0750-03-03
0.750	3	6	Plate	GB-0316-0750-03-06
0.750	3	12	Plate	GB-0316-0750-03-12
0.750	4	4	Plate	GB-0316-0750-04-04
0.750	4	8	Plate	GB-0316-0750-04-08
0.750	4	12	Plate	GB-0316-0750-04-12
0.750	6	6	Plate	GB-0316-0750-06-06
0.750	6	12	Plate	GB-0316-0750-06-12

316 Stainless Steel Plate and Sheet

2-Side Blanks *(Continued)*

Thickness	Width	Length	Type	Part #
0.750	8	8	Plate	GB-0316-0750-08-08
0.750	8	12	Plate	GB-0316-0750-08-12
0.750	9	9	Plate	GB-0316-0750-09-09
0.750	10	10	Plate	GB-0316-0750-10-10
0.750	12	12	Plate	GB-0316-0750-12-12
0.750	12	18	Plate	GB-0316-0750-12-18
0.750	12	24	Plate	GB-0316-0750-12-24
0.750	18	18	Plate	GB-0316-0750-18-18
0.750	24	24	Plate	GB-0316-0750-24-24
1.000	2	2	Plate	GB-0316-1000-02-02
1.000	2	6	Plate	GB-0316-1000-02-06
1.000	2	12	Plate	GB-0316-1000-02-12
1.000	3	3	Plate	GB-0316-1000-03-03
1.000	3	6	Plate	GB-0316-1000-03-06
1.000	3	12	Plate	GB-0316-1000-03-12
1.000	4	4	Plate	GB-0316-1000-04-04
1.000	4	8	Plate	GB-0316-1000-04-08
1.000	4	12	Plate	GB-0316-1000-04-12
1.000	6	6	Plate	GB-0316-1000-06-06
1.000	6	12	Plate	GB-0316-1000-06-12
1.000	8	8	Plate	GB-0316-1000-08-08
1.000	8	12	Plate	GB-0316-1000-08-12
1.000	9	9	Plate	GB-0316-1000-09-09
1.000	10	10	Plate	GB-0316-1000-10-10
1.000	12	12	Plate	GB-0316-1000-12-12
1.000	12	18	Plate	GB-0316-1000-12-18
1.000	12	24	Plate	GB-0316-1000-12-24
1.000	18	18	Plate	GB-0316-1000-18-18
1.000	24	24	Plate	GB-0316-1000-24-24

316 Stainless Steel Plate and Sheet

6-Side Precision Blanks

- Precision ground or milled 2-sides for thickness and flatness
- Precision milled 4-sides for width and length
- All dimensions +/- .002", flat square and parallel ready for machining



Thickness	Width	Length	Type	Part #
0.125	2.000	2.000	Sheet	SB-0316-0125-02-02
0.125	2.000	6.000	Sheet	SB-0316-0125-02-06
0.125	2.000	12.000	Sheet	SB-0316-0125-02-12
0.125	3.000	3.000	Sheet	SB-0316-0125-03-03
0.125	3.000	6.000	Sheet	SB-0316-0125-03-06
0.125	3.000	12.000	Sheet	SB-0316-0125-03-12
0.125	4.000	4.000	Sheet	SB-0316-0125-04-04
0.125	4.000	8.000	Sheet	SB-0316-0125-04-08
0.125	4.000	12.000	Sheet	SB-0316-0125-04-12
0.125	6.000	6.000	Sheet	SB-0316-0125-06-06
0.125	6.000	12.000	Sheet	SB-0316-0125-06-12
0.125	8.000	8.000	Sheet	SB-0316-0125-08-08
0.125	8.000	12.000	Sheet	SB-0316-0125-08-12
0.125	9.000	9.000	Sheet	SB-0316-0125-09-09
0.125	10.000	10.000	Sheet	SB-0316-0125-10-10
0.125	12.000	12.000	Sheet	SB-0316-0125-12-12
0.125	12.000	18.000	Sheet	SB-0316-0125-12-18
0.125	12.000	24.000	Sheet	SB-0316-0125-12-24
0.125	18.000	18.000	Sheet	SB-0316-0125-18-18
0.125	24.000	24.000	Sheet	SB-0316-0125-24-24
0.190	2.000	2.000	Plate	SB-0316-0190-02-02
0.190	2.000	6.000	Plate	SB-0316-0190-02-06
0.190	2.000	12.000	Plate	SB-0316-0190-02-12
0.190	3.000	3.000	Plate	SB-0316-0190-03-03

All measurements are in inches unless otherwise specified

316 Stainless Steel Plate and Sheet

6-Side Blanks *(Continued)*

Thickness	Width	Length	Type	Part #
0.190	3.000	6.000	Plate	SB-0316-0190-03-06
0.190	3.000	12.000	Plate	SB-0316-0190-03-12
0.190	4.000	4.000	Plate	SB-0316-0190-04-04
0.190	4.000	8.000	Plate	SB-0316-0190-04-08
0.190	4.000	12.000	Plate	SB-0316-0190-04-12
0.190	6.000	6.000	Plate	SB-0316-0190-06-06
0.190	6.000	12.000	Plate	SB-0316-0190-06-12
0.190	8.000	8.000	Plate	SB-0316-0190-08-08
0.190	8.000	12.000	Plate	SB-0316-0190-08-12
0.190	9.000	9.000	Plate	SB-0316-0190-09-09
0.190	10.000	10.000	Plate	SB-0316-0190-10-10
0.190	12.000	12.000	Plate	SB-0316-0190-12-12
0.190	12.000	18.000	Plate	SB-0316-0190-12-18
0.190	12.000	24.000	Plate	SB-0316-0190-12-24
0.190	18.000	18.000	Plate	SB-0316-0190-18-18
0.190	24.000	24.000	Plate	SB-0316-0190-24-24
0.250	2.000	2.000	Plate	SB-0316-0250-02-02
0.250	2.000	6.000	Plate	SB-0316-0250-02-06
0.250	2.000	12.000	Plate	SB-0316-0250-02-12
0.250	3.000	3.000	Plate	SB-0316-0250-03-03
0.250	3.000	6.000	Plate	SB-0316-0250-03-06
0.250	3.000	12.000	Plate	SB-0316-0250-03-12
0.250	4.000	4.000	Plate	SB-0316-0250-04-04
0.250	4.000	8.000	Plate	SB-0316-0250-04-08
0.250	4.000	12.000	Plate	SB-0316-0250-04-12
0.250	6.000	6.000	Plate	SB-0316-0250-06-06
0.250	6.000	12.000	Plate	SB-0316-0250-06-12
0.250	8.000	8.000	Plate	SB-0316-0250-08-08

316 Stainless Steel Plate and Sheet

6-Side Blanks *(Continued)*

Thickness	Width	Length	Type	Part #
0.250	8.000	12.000	Plate	SB-0316-0250-08-12
0.250	9.000	9.000	Plate	SB-0316-0250-09-09
0.250	10.000	10.000	Plate	SB-0316-0250-10-10
0.250	12.000	12.000	Plate	SB-0316-0250-12-12
0.250	12.000	18.000	Plate	SB-0316-0250-12-18
0.250	12.000	24.000	Plate	SB-0316-0250-12-24
0.250	18.000	18.000	Plate	SB-0316-0250-18-18
0.250	24.000	24.000	Plate	SB-0316-0250-24-24
0.375	2.000	2.000	Plate	SB-0316-0375-02-02
0.375	2.000	6.000	Plate	SB-0316-0375-02-06
0.375	2.000	12.000	Plate	SB-0316-0375-02-12
0.375	3.000	3.000	Plate	SB-0316-0375-03-03
0.375	3.000	6.000	Plate	SB-0316-0375-03-06
0.375	3.000	12.000	Plate	SB-0316-0375-03-12
0.375	4.000	4.000	Plate	SB-0316-0375-04-04
0.375	4.000	8.000	Plate	SB-0316-0375-04-08
0.375	4.000	12.000	Plate	SB-0316-0375-04-12
0.375	6.000	6.000	Plate	SB-0316-0375-06-06
0.375	6.000	12.000	Plate	SB-0316-0375-06-12
0.375	8.000	8.000	Plate	SB-0316-0375-08-08
0.375	8.000	12.000	Plate	SB-0316-0375-08-12
0.375	9.000	9.000	Plate	SB-0316-0375-09-09
0.375	10.000	10.000	Plate	SB-0316-0375-10-10
0.375	12.000	12.000	Plate	SB-0316-0375-12-12
0.375	12.000	18.000	Plate	SB-0316-0375-12-18
0.375	12.000	24.000	Plate	SB-0316-0375-12-24
0.375	18.000	18.000	Plate	SB-0316-0375-18-18
0.375	24.000	24.000	Plate	SB-0316-0375-24-24
0.500	2.000	2.000	Plate	SB-0316-0500-02-02

316 Stainless Steel Plate and Sheet

6-Side Blanks *(Continued)*

Thickness	Width	Length	Type	Part #
0.500	2.000	6.000	Plate	SB-0316-0500-02-06
0.500	2.000	12.000	Plate	SB-0316-0500-02-12
0.500	3.000	3.000	Plate	SB-0316-0500-03-03
0.500	3.000	6.000	Plate	SB-0316-0500-03-06
0.500	3.000	12.000	Plate	SB-0316-0500-03-12
0.500	4.000	4.000	Plate	SB-0316-0500-04-04
0.500	4.000	8.000	Plate	SB-0316-0500-04-08
0.500	4.000	12.000	Plate	SB-0316-0500-04-12
0.500	6.000	6.000	Plate	SB-0316-0500-06-06
0.500	6.000	12.000	Plate	SB-0316-0500-06-12
0.500	8.000	8.000	Plate	SB-0316-0500-08-08
0.500	8.000	12.000	Plate	SB-0316-0500-08-12
0.500	9.000	9.000	Plate	SB-0316-0500-09-09
0.500	10.000	10.000	Plate	SB-0316-0500-10-10
0.500	12.000	12.000	Plate	SB-0316-0500-12-12
0.500	12.000	18.000	Plate	SB-0316-0500-12-18
0.500	12.000	24.000	Plate	SB-0316-0500-12-24
0.500	18.000	18.000	Plate	SB-0316-0500-18-18
0.500	24.000	24.000	Plate	SB-0316-0500-24-24
0.625	2.000	2.000	Plate	SB-0316-0625-02-02
0.625	2.000	6.000	Plate	SB-0316-0625-02-06
0.625	2.000	12.000	Plate	SB-0316-0625-02-12
0.625	3.000	3.000	Plate	SB-0316-0625-03-03
0.625	3.000	6.000	Plate	SB-0316-0625-03-06
0.625	3.000	12.000	Plate	SB-0316-0625-03-12
0.625	4.000	4.000	Plate	SB-0316-0625-04-04
0.625	4.000	8.000	Plate	SB-0316-0625-04-08
0.625	4.000	12.000	Plate	SB-0316-0625-04-12
0.625	6.000	6.000	Plate	SB-0316-0625-06-06

316 Stainless Steel Plate and Sheet

6-Side Blanks *(Continued)*

Thickness	Width	Length	Type	Part #
0.625	6.000	12.000	Plate	SB-0316-0625-06-12
0.625	8.000	8.000	Plate	SB-0316-0625-08-08
0.625	8.000	12.000	Plate	SB-0316-0625-08-12
0.625	9.000	9.000	Plate	SB-0316-0625-09-09
0.625	10.000	10.000	Plate	SB-0316-0625-10-10
0.625	12.000	12.000	Plate	SB-0316-0625-12-12
0.625	12.000	18.000	Plate	SB-0316-0625-12-18
0.625	12.000	24.000	Plate	SB-0316-0625-12-24
0.625	18.000	18.000	Plate	SB-0316-0625-18-18
0.625	24.000	24.000	Plate	SB-0316-0625-24-24
0.750	2.000	2.000	Plate	SB-0316-0750-02-02
0.750	2.000	6.000	Plate	SB-0316-0750-02-06
0.750	2.000	12.000	Plate	SB-0316-0750-02-12
0.750	3.000	3.000	Plate	SB-0316-0750-03-03
0.750	3.000	6.000	Plate	SB-0316-0750-03-06
0.750	3.000	12.000	Plate	SB-0316-0750-03-12
0.750	4.000	4.000	Plate	SB-0316-0750-04-04
0.750	4.000	8.000	Plate	SB-0316-0750-04-08
0.750	4.000	12.000	Plate	SB-0316-0750-04-12
0.750	6.000	6.000	Plate	SB-0316-0750-06-06
0.750	6.000	12.000	Plate	SB-0316-0750-06-12
0.750	8.000	8.000	Plate	SB-0316-0750-08-08
0.750	8.000	12.000	Plate	SB-0316-0750-08-12
0.750	9.000	9.000	Plate	SB-0316-0750-09-09
0.750	10.000	10.000	Plate	SB-0316-0750-10-10
0.750	12.000	12.000	Plate	SB-0316-0750-12-12
0.750	12.000	18.000	Plate	SB-0316-0750-12-18
0.750	12.000	24.000	Plate	SB-0316-0750-12-24
0.750	18.000	18.000	Plate	SB-0316-0750-18-18

316 Stainless Steel Plate and Sheet

6-Side Blanks *(Continued)*

Thickness	Width	Length	Type	Part #
0.750	24.000	24.000	Plate	SB-0316-0750-24-24
1.000	2.000	2.000	Plate	SB-0316-1000-02-02
1.000	2.000	6.000	Plate	SB-0316-1000-02-06
1.000	2.000	12.000	Plate	SB-0316-1000-02-12
1.000	3.000	3.000	Plate	SB-0316-1000-03-03
1.000	3.000	6.000	Plate	SB-0316-1000-03-06
1.000	3.000	12.000	Plate	SB-0316-1000-03-12
1.000	4.000	4.000	Plate	SB-0316-1000-04-04
1.000	4.000	8.000	Plate	SB-0316-1000-04-08
1.000	4.000	12.000	Plate	SB-0316-1000-04-12
1.000	6.000	6.000	Plate	SB-0316-1000-06-06
1.000	6.000	12.000	Plate	SB-0316-1000-06-12
1.000	8.000	8.000	Plate	SB-0316-1000-08-08
1.000	8.000	12.000	Plate	SB-0316-1000-08-12
1.000	9.000	9.000	Plate	SB-0316-1000-09-09
1.000	10.000	10.000	Plate	SB-0316-1000-10-10
1.000	12.000	12.000	Plate	SB-0316-1000-12-12
1.000	12.000	18.000	Plate	SB-0316-1000-12-18
1.000	12.000	24.000	Plate	SB-0316-1000-12-24
1.000	18.000	18.000	Plate	SB-0316-1000-18-18
1.000	24.000	24.000	Plate	SB-0316-1000-24-24
2.000	4.000	6.000	Plate	SB-0316-2000-04-06
2.000	4.000	8.000	Plate	SB-0316-2000-04-08
3.000	3.000	3.000	Plate	SB-0316-3000-03-03
3.000	6.000	9.000	Plate	SB-0316-3000-06-09
3.000	6.000	12.000	Plate	SB-0316-3000-06-12
4.000	4.000	4.000	Plate	SB-0316-4000-04-04
5.000	5.000	5.000	Plate	SB-0316-5000-05-05

4140 Carbon Steel Plate

Excellent Versatility

4140 carbon steel plate is widely used across numerous industries and is an excellent material choice due to its toughness, high fatigue strength, and abrasion and impact resistance. Not many grades of steel can match its versatility and usefulness. 4140 carbon steel is commonly used across for commercial and industrial applications, including axles, bolts, crankshafts, conveyors, gears, hydraulic parts, and much more.



6-Side Precision Blanks

- Precision ground or milled 2-sides for thickness and flatness
- Precision milled 4-sides for width and length
- All dimensions +/- .002", flat square and parallel ready for machining

Thickness	Width	Length	Part #
0.250	2.000	11.750	SB-4140-0250-02-11
0.250	4.000	11.750	SB-4140-0250-04-11
0.250	6.000	5.750	SB-4140-0250-06-05
0.250	6.000	11.750	SB-4140-0250-06-11
0.250	12.000	11.750	SB-4140-0250-12-11
0.375	2.000	11.750	SB-4140-0375-02-11
0.375	4.000	11.750	SB-4140-0375-04-11
0.375	6.000	5.750	SB-4140-0375-06-05
0.375	6.000	11.750	SB-4140-0375-06-11
0.375	12.000	11.750	SB-4140-0375-12-11
0.500	2.000	11.750	SB-4140-0500-02-11

All measurements are in inches unless otherwise specified

4140 CARBON STEEL STEEL

4140 Carbon Steel Plate

6-Side Blanks (Continued)

Thickness	Width	Length	Part #
0.500	4.000	11.750	SB-4140-0500-04-11
0.500	6.000	5.750	SB-4140-0500-06-05
0.500	6.000	11.750	SB-4140-0500-06-11
0.500	12.000	11.750	SB-4140-0500-12-11
0.625	2.000	11.750	SB-4140-0625-02-11
0.625	4.000	11.750	SB-4140-0625-04-11
0.625	6.000	5.750	SB-4140-0625-06-05
0.625	6.000	11.750	SB-4140-0625-06-11
0.625	12.000	11.750	SB-4140-0625-12-11
0.750	2.000	11.750	SB-4140-0750-02-11
0.750	4.000	11.750	SB-4140-0750-04-11
0.750	6.000	5.750	SB-4140-0750-06-05
0.750	6.000	11.750	SB-4140-0750-06-11
0.750	12.000	11.750	SB-4140-0750-12-11
1.000	2.000	11.750	SB-4140-1000-02-11
1.000	4.000	11.750	SB-4140-1000-04-11
1.000	6.000	5.750	SB-4140-1000-06-05
1.000	6.000	11.750	SB-4140-1000-06-11
1.000	12.000	11.750	SB-4140-1000-12-11



800-234-5613

sales@tciprecision.com • www.tciprecision.com